

FloPlast
building the future

XtraFlo Rainwater System



PVC-UE Roofline,
Window &
Cladding Systems


Rainwater
Systems

Soil & Waste
Systems

Underground
Drainage Systems

MDPE
Systems

Hot & Cold
Plumbing Systems



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

Features & Benefits:

- A semi - elliptical profile designed to enhance water flow.
- Vortex outlet designed to promote a vacuum effect to increase the flow rate.
- A practical, easy to install system.
- High flow capacity.
- Pre-fitted gutter seal for fast user-friendly installation.
- Ideal for large domestic/commercial buildings/warehouses/offices/apartment blocks and schools.
- Utilises our 110mm soil system for downpipes.

Colours



Code suffix

W B G

Dimensions (mm)













170MM GUTTER AND FITTINGS BS EN 607:2004, BS EN 1462:2004







Gutter and pipe code reference numbers refer to length of run: 3 or 4 metres.





Product	Code
Gutter	
	RGX4
90° Angle	
	RAX1
Running Outlet	
	ROX1
Fascia Bracket	
	RKX1



Product	Code
Union Bracket	
	RUX1
Stopend	
	External REX1
	Internal REX2



110MM ROUND DOWNPIPE & FITTINGS BS EN 1329-1:2014, BS 1453-1:2000

Product	Code
Pipe - Plain Ended	
	3m SP1 4m SP2
Pipe - Single Socket	
	3m SP3 4m SP4
Shoe	
	SP161A
Pipe Clip	
	SP82

Product	Code
Offset Bends:	
	135° Top SP440
	135° Bottom SP435
Hopper	
	RHX1
92½° Soil Pipe Branch	
	SP190

Product	Code
92½° Soil Pipe Access Bend	
	SP169
Access Pipe	
	Socket/Spigot SP274

*Not available in White

Gutter & pipe code reference numbers refer to length of run: 3 or 4 metres.

Important when ordering: - To indicate the product colour(s) required, the following code suffixes should be used: B-Black, BR-Brown, G-Grey, W-White, C-Caramel, S-Sand.

FloPlast

building the future

FloPlast Limited
 Castle Road
 Eurolink Business Park
 Sittingbourne
 Kent ME10 3FP
 UK

Tel: 01795 431731
 Sales Office Direct Line:
01795 421422





Fax:
01795 431188

E-mail:
sales@floplast.co.uk

Website:
www.floplast.co.uk



Other systems available:



PVC-UE Roofline,
 Window &
 Cladding Systems

Rainwater
 Systems

Soil & Waste
 Systems

Underground
 Drainage Systems

MDPE
 Systems

Hot & Cold
 Plumbing Systems