

FLUSHING

FLUSH VALVES

SIPHONS

INLET VALVES

CONCEALED CISTERNS

EXPOSED CISTERNS

URINAL FLUSHING

SPARES AND ACCESSORIES

Macdee
wirquin



MERCHANDISING TOOLS

For your STORE

- ▶ Consistent and self explanatory packaging



- ▶ Selection of FSDU to choose from.
Dimensions (mm) H-185cm, W-59cm, D-39cm

- ▶ WIRQUIN INNOVATIONS
- ▶ PLUMBING ESSENTIALS
- ▶ FLUSHING ESSENTIALS
- ▶ CISTERN DISPLAY



* Images for illustration purposes only.

* Image for illustration purposes only, actual contents and design will vary.

DUAL FLUSH LID LOCKING FLUSH VALVE



WIRQUIN ONE



NEW




**FULL
AUTOMATIC
SETTING**

**NO MORE
MEASUREMENTS,
NO MORE
CUTTING!**

With **WIRQUIN ONE**, enjoy an intuitive, fast and efficient installation.

Thanks to its patented system, it adapts automatically to the height of the tank without measuring or cutting.

This innovative solution is also respectful of the environment, offering an efficient and constant flush.



WIRQUIN ONE DUAL FLUSH VALVE



DESCRIPTION	2" dual flush mechanism
REFERENCE	10120440
EAN CODE	5017134134247
PACKAGING	Boxed
BOXED QUANTITY	1 / 8 / 240
HEIGHT OF CISTERNS (mm)	260 TO 400 mm
DIAMETER OF COVER HOLE	40 mm
CONTROL SYSTEM	Lid Locking
MAIN CHARACTERISTICS	<ul style="list-style-type: none"> ▶ Dual flush 6/4L ▶ Flush rate of 2,4L/sec ▶ Suitable for 2" close coupled cisterns only.
TECHNICAL DRAWING	

DUAL FLUSH CABLE OPERATED FLUSH VALVE



QUICK FIT



THANKS TO ITS PATENTED SYSTEM, QUICK FIT ATTACHES DIRECTLY OVER EXISTING CLOSE COUPLED INSTALLATIONS WITHOUT REMOVING THE CISTERN.











DUAL FLUSH

QUICK FIT DUAL FLUSH VALVE






DESCRIPTION	2" dual flush mechanism
REFERENCE	10721505
EAN CODE	3375537214341
PACKAGING	Boxed
BOXED QUANTITY	1 / 12
HEIGHT OF CISTERNS (mm)	270 TO 440 mm
DIAMETER OF COVER HOLE	14 to 58 mm
CONTROL SYSTEM	Cable control
MAIN CHARACTERISTICS	<ul style="list-style-type: none"> ▶ Time saving: no need to remove the cistern to change the flush valve. ▶ Innovative seal: Butyl seal ensures a perfect secure fit instantly. ▶ Suitable for close coupled cisterns only.
TECHNICAL DRAWING	

CABLE OPERATED

	JOLLYFLUSH DUAL FLUSH VALVE	JOLLYFLUSH DOC M SINGLE FLUSH VALVE	JOLLYTRONIC	KAYLA CABLE OPERATED DUAL FLUSH VALVE
				
DESCRIPTION	Dual flush mechanism - 2" & 1 1/2"	2" & 1 1/2" DOC M flush mechanism EASY FLUSH	2" no touch flushing valve	2" & 1 1/2" flushing valve front or top flush
REFERENCE	10120446	12050002	10120021	DVA0100
EAN CODE	5017134146400	3375537160860	5017134129168	5017134115376
PACKAGING	Boxed	Bag	Boxed	Boxed
MULTIPLE / BOXED QUANTITY	1 / 8 / 240	1 / 15	1 / 100	N/A
HEIGHT OF CISTERNS (mm)	300 to 420	300 to 420	300 to 420	300 to 420
FLUSH RATE L/sec	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")
DIAMETER OF COVER HOLE	14 to 46 mm	14 to 46 mm	38 to 45 mm	16 to 38 mm
MECHANISM BASE (INCHES)	2"	2" & 1.5"	2"	2" & 1.5"
WATER SAVING	DUAL FLUSH	SINGLE FLUSH	ECO FLUSH	DUAL FLUSH
CABLE LENGTH	300 mm	300 mm	300 mm	400 mm
TOP OR FRONT MECHANISM	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT
MAIN CHARACTERISTICS	Adjustable overflow (240 to 270mm).	Ideal for people with limited mobility. Raised button for easy flush. Adjustable overflow (240 to 270mm).	Battery operated no touch infrared flushing valve	Multi full and part flush settings, adjustable overflow (190-330mm)
TECHNICAL DRAWING				



ACCESSORIES		
		
Jollyflush dual flush chrome push button (grey cable) (sold in 5s)	Overflow washer for flushing (sold in 5s)	Grey cable for MW2 and Jollyflush flushing valve
10717795	10717748	19080001
FOR A FULL RANGE OF ACCESSORIES SEE PAGES 67 - 72		

PNEUMATIC OPERATED

KAYLA PNEUMATIC DUAL FLUSH VALVE

- ▶ Water saving dual flushing valve
- ▶ Adjustable Full and part flush volume settings
- ▶ Adjustable internal overflow, making it ideal for both new and retrofit installations
- ▶ Removable top for easy cleaning and replacement
- ▶ Flushpipe stops on the base for correct installation
- ▶ Easy clean seal for quick maintenance
- ▶ Suitable for use with our Pneu-Compact Cisterns
- ▶ WRAS approved






KAYLA PNEUMATIC SINGLE FLUSH VALVE






DESCRIPTION	2" dual flush valve complete with Kara 72mm chrome dual flush push button	2" dual flush valve only No button	1 1/2" single flush valve only No button
REFERENCE	DVA0500	DVA5200	DVA5350
EAN CODE	5017134116472	5017134119459	5017134120462
PACKAGING	Bag	Bag	Bag
FLUSH RATE L/sec	2.1	2.1	2.1
MECHANISM BASE INCHES	2"	2"	1.5"
WATER SAVING	Dual Flush	Dual Flush	Single Flush
AIR HOSE LENGTH	1.5m	1.5m	1.5m

TECHNICAL DRAWING










ACCESSORIES

		
Kara 72mm Chrome dual flush push button*	Kara 50mm Chrome dual flush push button*	50mm Chrome single flush push button**
SYG610CP	SYG611CP	SYG609CP
FOR A FULL RANGE OF ACCESSORIES SEE PAGES 67 - 72		

*Compatible with Kayla dual flush pneumatic flush valve only.

**Compatible with Kayla single flush pneumatic valve only.

FLUSH VALVE KITS

	JOLLYFLUSH TOP OR FRONT ACCESS DUAL FLUSH VALVES		JOLLYTRONIC KIT	KAYLA CABLE OPERATED DUAL FLUSH VALVE
				
DESCRIPTION	1 1/2" & 2" dual flush mechanism + Jollyfill telescopic adjustable inlet valve		2" No touch bottom entry flushing mechanism + Jollyfill telescopic adjustable inlet valve	1 1/2" & 2" Universal bottom entry cistern fitting pack
REFERENCE	10120269	14010402	10120022	AV068
EAN CODE	5017134132700	3375537159475	5017134129175	5017134119169
PACKAGING	Box	Bag	Boxed	Bag
MULTIPLE / BOXED QUANTITY	1 / 6 / 150	1 / 10	1 / 100	N/A
HEIGHT OF CISTERNS (mm)	300 to 420	300 to 420	300 to 420	300 to 420
FLUSH RATE L/sec	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")	2.2 WRAS: 1.85	1.9 WRAS: 1.85 (1 1/2") 2.2 WRAS: 1.85 (2")
DIAMETER OF COVER HOLE	14 to 46 mm	14 to 46 mm	38 to 45 mm	16 to 38 mm
MECHANISM BASE (INCHES)	2" & 1.5"	2" & 1.5"	2"	2" & 1.5"
WATER SAVING	DUAL FLUSH	DUAL FLUSH	ECO STOP	DUAL FLUSH
CABLE LENGTH	300 mm	300 mm	300 mm	400 mm
TOP OR FRONT MECHANISM	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT	TOP OR FRONT
INLET VALVE	1/2" brass tail	1/2" plastic tail	1/2" brass tail	1/2" plastic tail
MAIN CHARACTERISTICS	UNIVERSAL FLUSH KIT Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow (240 to 270mm). Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.	UNIVERSAL FLUSH KIT Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow (240 to 270mm). Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.	Advanced no touch eco flushing kit that operates via a no touch infrared signal. Adjustable JOLLYFILL telescopic, delayed action, inlet valve.	Universal flush kit. Complete replacement kit for 99% of bottom entry close coupled cisterns. Extendable overflow and multi full and part flush settings. Adjustable JOLLYFILL telescopic, delayed action, space saving, inlet valve.
TECHNICAL DRAWING				

DUAL FLUSH SIPHON



MACDEE MOTION



- ▶ Unique flapper
- ▶ Very compact design
- ▶ Widest range of height options on the market
- ▶ Adjustable flush volumes

Description	Reference	EAN code	Packaging	Multiple/boxed
Siphon only	10120045	5017134129816	Box	1 / 8 / 240
Universal Kit	10120046	5017134129823	Box	1 / 6 / 120



Order code: 10120205


INCREASE SALES WITH A COUNTER TOP DISPLAY

- ▶ Free with an order of 8 x MACDEE MOTION (limited to 1 per customer)
- ▶ Delivered in a protective sleeve
- ▶ Includes a pre-fitted Macdee Motion universal dual flush siphon



METRO RAPID - SINGLE FLUSH			OBLONG	ROUND	SQUARE	D-SHAPE
3 PIECE SIPHON PACKAGING: BAG MULTIPLE/BOXED QUANTITY: 01/10 CONTROL SYSTEM: LEVER						
HEIGHT	C-LINK					
7.5"	2 1/4"	REFERENCE	DSY8725	DSY7125	DSY7925	DSD7125
		EAN CODE	5017134105209	5017134105025	5017134105124	5017134104622
8"	2 1/4"	REFERENCE	DSY8825	DSY7225	DSY8025	DSD8225
		EAN CODE	5017134105216	5017134105032	5017134105131	5017134104639
8.5"	2 1/4"	REFERENCE	DSY8875	DSY7275	-	-
		EAN CODE	5017134119589	5017134115154	-	-
9"	2 1/4"	REFERENCE	DSY8925	DSY7325	DSY8125	DSD9325
		EAN CODE	5017134105223	5017134105049	5017134105148	5017134104646
9.5"	2 1/4"	REFERENCE	DSY9025	DSY7425	DSY8225	DSD9425
		EAN CODE	5017134105230	5017134105056	5017134105155	5017134104653
10"	4 3/8"	REFERENCE	DSY9138	-	-	DSD1538
		EAN CODE	5017134105247	-	-	5017134104592
10.5"	4 3/8"	REFERENCE	DSY9238	-	-	DSD1638
		EAN CODE	5017134105254	-	-	5017134104608
NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.			<ul style="list-style-type: none"> ▶ Ideal for use in standard size cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ Flush volumes can be varied between 6/7/9 litres making it suitable for replacement installations ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Ideal for use with compact narrow cisterns where space may be an issue ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons supplied complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Square shaped siphon is ideal for installation in narrow yet deep cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow 	<ul style="list-style-type: none"> ▶ Well suited for installation in slimline cisterns ▶ Metro Rapid has an easy to remove upper section allowing easy maintenance / replacement without the need to remove the cistern ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard ▶ Internal overflow

- ▶ The Metro range is a well established siphon offering a high level of reliability
- ▶ On the Metro, flush volume can be varied between 6/7/9 litres, making it suitable for replacement installations
- ▶ All siphons come complete with siphon backnut, coupling nut, sealing washer and low level flush pipe seal as standard
- ▶ Complete with internal overflow
- ▶ WRAS approved



	METRO SINGLE FLUSH			METRO DUAL FLUSH		
DESCRIPTION	7 1/2" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	9 1/2" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	10" one piece siphon complete with 4 3/8 metal c-link and low level flushpipe seal	8" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal	8 1/2" one piece siphon complete with 2 3/4 metal c-link and low level flushpipe seal	9" one piece siphon complete with 2 1/4 metal c-link and low level flushpipe seal
REFERENCE	DSY0125	DSY0425	DSY0538	DSY0225	DSY0275	DSY0325
EAN CODE	5017134104769	5017134104790	5017134104813	5017134104776	5017134120097	5017134104783
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/10	01/10	01/10	01/10	01/10	01/10
MECHANISM BASE INCHES	1.5	1.5	1.5	1.5	1.5	1.5
CONTROL SYSTEM	Lever	Lever	Lever	Lever	Lever	Lever

NOTE: For internal overflow measure from the base of the cistern to the waterline and add 1", ensuring that the measurement is a minimum of 10mm below any aperture in the cistern to decide what height siphon is required for the installation.

	METRO SIPHON SPARES							
DESCRIPTION	Metro Rapid or Metro one siphon diaphragm washer - oblong	Metro siphon 1 1/2" back nut	Metro siphon 1 1/2" base sealing washer	Metro siphon 1 1/2" coupling nut	Metro 2 1/4" metal c-link	Metro 3 1/2" metal c-link	Metro 4 3/8" metal c-link	Metro flush volume selector
REFERENCE	DSY1300	DSY1500	DSY1600	DSY1700	DSY1900	DSY2000	DSY2100	DSA5900
EAN CODE	5017134104868	5017134104875	5017134104882	5017134104899	5017134128918	5017134128925	5017134128932	5017134128956

INLET VALVES BOTTOM ENTRY

	JOLLYFILL TELESCOPIC BOTTOM ENTRY			JOLLYFILL BOTTOM ENTRY
DESCRIPTION	Inlet float valve	Inlet float valve	Inlet float valve	1/2" Inlet float valve
REFERENCE	10120029	10120028	16110011	16100006
EAN CODE	5017134129434	5017134129311	3375537150441	3375537136759
PACKAGING	Boxed	Boxed	Bag	Bag
MULTIPLE / BOXED QUANTITY	1 / 24	1 / 24	1 / 36	1 / 36
INLET TAIL	1/2" brass	1/2" plastic	3/8" brass	1/2" plastic
WORKING RANGE	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar
RESISTANT TO PEAKS OF PRESSURE	Up to 20 bars	Up to 20 bars	Up to 20 bars	Up to 20 bars
WATER SAVING DELAYED ACTION	Yes	Yes	Yes	Yes
MAIN CHARACTERISTICS	Patented clutch system against over tightening. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer. Water saving .			Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.
TECHNICAL DRAWING				

The telescopic JOLLYFILL utilises a patented system, which avoids breaking the inlet valve body, in case of unreasonable tightening.

The JOLLYFILL is compact and ideal for small cisterns. It is fast filling and quick closing.

Guarantee **10** Years

JOLLYFILL / TOPY SPARE

Jollyfill and Topy diaphragm washer (sold in 5s)

10717797

INLET VALVES SIDE ENTRY

	JOLLYFILL SIDE ENTRY		TOPY SIDE ENTRY	
DESCRIPTION	Inlet float valve	Inlet float valve	Inlet float valve	Inlet float valve
REFERENCE	10120033	10120034	16300601	16300501
EAN CODE	5017134129526	5017134129533	3375537160815	3375537161140
PACKAGING	Boxed	Boxed	Bag	Bag
MULTIPLE / BOXED QUANTITY	1 / 24	1 / 24	1 / 60	1 / 72
INLET END	1/2" plastic	1/2" brass	1/2" plastic	3/8" brass
WORKING RANGE	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar	0.1 up to 16 bar
RESISTANT TO PEAKS OF PRESSURE	Up to 20 bars	Up to 20 bars	Up to 20 bars	Up to 20 bars
WATER SAVING DELAYED ACTION	Yes	Yes	No	No
MAIN CHARACTERISTICS	180° head rotation ideal for narrow tanks. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.	180° head rotation ideal for narrow tanks. Ultra quiet (17 decibels). Anti-siphoning. Eliminates water hammer.	Ultra compact.	Special for Uni Compact cistern. Ultra compact.
TECHNICAL DRAWING				

The side entry JOLLYFILL with 180° head rotation allows installation in narrow tanks.





Guarantee **10** YEARS

JOLLYFILL / TOPY SPARE










Jollyfill and Topy diaphragm washer (sold in 5s)

10717797

SILENTA INLET SIDE ENTRY	SILENTA INLET BOTTOM ENTRY
	 <ul style="list-style-type: none"> ▶ BS1212: Part 3 ▶ Supplied with high and low pressure seating and backnut ▶ Height variation: bottom entry pedestal ▶ 8 1/2" to 10" and arm length 7 1/4' to 8 1/4"

DESCRIPTION	Ball valve complete with 8 1/4" lever arm diverter high and low pressure seating and backnuts	Ball valve complete with 9 1/4" lever arm diverter high and low pressure seating and backnuts	Ball valve 8 1/2" cranked pedestal complete with 7 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 9 1/2" cranked pedestal complete with 7 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 8 1/2" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 9 1/2" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut	Ball valve 10" cranked pedestal complete with 8 1/4" lever arm diverter high and low pressure seating washer and backnut
REFERENCE	DVS1082	DVS1092	DVS3872	DVS3972	DVS3882	DVS3982	DVS3182
EAN CODE	5017134105452	5017134105469	5017134105520	5017134105551	5017134105537	5017134105568	5017134105506
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/75	01/75	01/50	01/50	01/50	01/50	01/50
INLET END	1/2" plastic	1/2" Plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic	1/2" plastic
FILLING RATE AT 0,1 BAR	1.5L/min	1.5L/min	1.5L/min	1.5L/min	1.5 L/mn	1.5L/min	1.5L/min
FUNCTIONING RANGE	0-1 to 14 bar	0-1 to 14 bar	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14	0-1 bar to 14
MAIN CHARACTERISTICS	UK manufactured, complete with fittings, quick and easy to install.		UK manufactured, complete with fittings, quick and easy to install pedestal.				

BALL FLOATS

	SUPERFLOAT						
							
DESCRIPTION	5" spherical float with 5/16" BSW brass insert	6" spherical float with 5/16" BSW brass insert	8" spherical float with 3/8" BSW brass insert	8" spherical float with 7/16" BSW brass insert	10" spherical float with 1/2" BSW brass insert	10" spherical float with 9/16" BSW brass insert	12" spherical float with 5/8" BSW brass insert
REFERENCE	DBS0540	DBS0640	DBS1300	DBS0840	DBS1400	DBS1040	DBS1240
EAN CODE	5017134102918	5017134102949	5017134103014	5017134102987	5017134103021	5017134102994	5017134103007
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/50	01/50	01/20	01/20	01/10	01/10	01/05

	SUPERFLOAT		
			
DESCRIPTION	4 1/2" spherical float with 5/16" BSW brass insert, packed and sold in 10s	4 1/2" spherical float with plastic threads, packed and sold in 10s	4 1/2" cylindrical float with plastic threads, packed and sold in 10s
REFERENCE	DBS0420	DBS0450	DBC0440
EAN CODE	5017134102864	5017134102901	5017134102796
PACKAGING	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	10	10	10

CISTERNS

CONCEALED CISTERNS

The most compact solutions on the market for in-wall and bathroom furniture applications



EXPOSED CISTERNS

A range suitable for any requirement, from residential to commercial, newbuild to retrofit



OPERATION OPTIONS



Lever



Infrared Sensor



Button



Chain & Pull



Macdee
wirquin

DUO COMPACT CONCEALED CISTERN



CDC52CP

- ▶ Most compact cistern on the market
- ▶ Ideal for bathroom furniture and in wall installations
- ▶ Water saving - dual flush valve and delayed action inlet valve
- ▶ Fittings and flushpipe included
- ▶ W - 336mm x H - 320mm x D - 140mm



*flushing & inlet valve



REFERENCE	CDC52CP	CDC53CP	CDC40CP	CDC41CP	CDC71CP
EAN CODE	5017134115468	5017134117837	5017134119817	5017134119824	5017134118193
PACKAGING	Box	Box	Box	Box	Box
PALLET	1/54	1/54	1/54	1/54	1/54
OUTLET	1 1/2"	2"	1 1/2"	2"	2"
FLUSH	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable	Dual Flush Kayla - Cable
FLUSH VOLUMES	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l	6/4l + 4/2.6l
INLET	Side Entry Jollyfill with bottom entry flexi-hose	Side Entry Jollyfill with bottom entry flexi-hose	Side Entry Jollyfill	Side Entry Jollyfill	Bottom Entry Jollyfill
ACCESS	Front & Top	Front & Top	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓
ISOLATION VALVE	✓	✓	✗	✗	✗
ASSEMBLED	✓	✓	✗	✗	✗
BUTTON	Chrome	Chrome	Chrome	Chrome	Chrome
SPARES & ACCESSORIES	Refer to page 66 - 71				

UNI COMPACT CONCEALED CISTERN



UCD01CP


- ▶ Front or top fix button operation
- ▶ Reversible inlet valve positioning - left or right hand feed
- ▶ Suitable for bottom or side feed
- ▶ Water saving - dual flush valve
- ▶ Fittings and flushpipe included
- ▶ W - 340mm x H - 350mm x D - 130mm



*flushing &
inlet valve

REFERENCE	UCD01CP	UCD02CP	UCD03CP
EAN CODE	5017134120509	5017134120516	5017134128352
PACKAGING	Box	Box	Box
PALLET	1/54	1/54	1/54
OUTLET	2"	2"	2"
FLUSH	Dual Flush Jollyflush - Cable	Dual Flush Jollyflush - Cable	Jollytronic Cable - Eco Flush
FLUSH VOLUMES	6/4l + 4/2.6l	6/4l + 4/2.6l	Eco Flush Sensor - control how much you flush up to 6L
INLET	Side Entry Topy with braided flexi-hose	Side Entry Topy with braided flexi-hose	Side Entry Topy with braided flexi-hose
ACCESS	Front & Top	Front & Top	Front & Top
INTERNAL OVERFLOW	✓	✓	✓
ISOLATION VALVE	✓	✓	✓
ASSEMBLED	Part	Part	Part
BUTTON	Chrome Button	Chrome Plate	Infrared Sensor
SPARES & ACCESSORIES	Refer to page 66 - 71		

PNEU COMPACT CONCEALED CISTERN



CPL63CP

- ▶ Ideal for bathroom furniture and in wall installations
- ▶ Water saving - dual / single flush valve options and delayed action inlet valve
- ▶ 1.5m air hose
- ▶ Fittings and flushpipe included
- ▶ W - 336mm x H - 320mm x D - 140mm



*flushing & inlet valve

REFERENCE	CPL41CP	CPL43CP	CPL61CP	CPL62CP	CPL63CP
EAN CODE	5017134114546	5017134120219	5017134119435	5017134119473	5017134119497
PACKAGING	Box	Box	Box	Box	Box
PALLET	1/54	1/54	1/54	1/54	1/54
OUTLET	1 1/2"	1 1/2"	2"	2"	2"
FLUSH	Single Flush Kayla - Pneumatic	Single Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic	Dual Flush Kayla - Pneumatic
FLUSH VOLUMES	6l, 5l + 4l	6l, 5l + 4l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l	6/5l, 5/3l + 4/2.6l
INLET	Side Entry Jollyfill	Bottom Entry Jollyfill	Side Entry Jollyfill	Bottom Entry Jollyfill	Side Entry Jollyfill
ACCESS	Front & Top	Front & Top	Front & Top	Front & Top	Front & Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓
ISOLATION VALVE	✗	✗	✗	✗	✗
ASSEMBLED	✓	✓	✓	✓	✓
BUTTON	Chrome - 50mm Kara	Chrome - 50mm Kara	✗	✗	Chrome - 72mm Kara
SPARES & ACCESSORIES	Refer to page 66 - 71				

HIDEAWAY CONCEALED CISTERN



CFH14DF

- ▶ Traditional cistern ideal for installations behind deep ducted walls
- ▶ Varying length levers to suit different wall thicknesses
- ▶ Water saving siphon
- ▶ Metro Rapid (dual flush) allows for easy maintenance without removing the cistern
- ▶ Fittings and flushpipe included
- ▶ W - 505mm x H - 312mm x D - 146mm



*Siphon

REFERENCE	CFH14DF	CFH16DF	CFH14CP	CFH15CP	CFH2000	CFH16CP	CFH2100
EAN CODE	5017134119633	5017134119640	5017134101348	5017134101355	5017134101409	5017134101379	5017134101416
PACKAGING	Box	Box	Box	Box	Box	Box	Box
PALLET	1/40	1/40	1/40	1/40	1/40	1/40	1/40
OUTLET	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"	1 1/2"
FLUSH	Dual Flush Metro Rapid Siphon	Dual Flush Metro Rapid Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6/4l	6/4l	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve
ACCESS	Top	Top	Top	Top	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓	✓	✓	✓	✓
ISOLATION VALVE	x	x	x	x	x	x	x
ASSEMBLED	x	x	x	x	x	x	x
LEVER	Chrome, 210mm	Chrome, 210mm	Chrome, 210mm	Chrome, 340mm	No Lever	Chrome, 210mm	No Lever
SPARES & ACCESSORIES	Refer to page 66 - 71						

HIDEAWAY CONCEALED AUTO CISTERN



- ▶ Used with urinals where a concealed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 505mm x H - 312mm x D - 146mm



*Auto Siphon

REFERENCE	CFH0900	CFH1000	CFH0800
EAN CODE	5017134101317	5017134101324	5017134101300
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1"	1"	1"
FLUSH	Auto Siphon	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
INLET	Petcock	Petcock	Petcock
ACCESS	Top	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls	3 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71		

ELAN EXPOSED CISTERN



CFE41WH

- ▶ No1 exposed cistern on the market
- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 505mm x H - 327mm x D - 150mm



*Siphon

REFERENCE	CFE41WH	CFE51WH	CFE02WH
EAN CODE	5018787380029	5018787350022	5018787340023
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
OVERFLOW	Internal	Internal & External	Internal & External
ASSEMBLED	x	x	x
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

ELAN EXPOSED AUTO CISTERN



- ▶ Used with urinals where an exposed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 505mm x H - 312mm x D - 146mm



*Auto Siphon

REFERENCE	CFE09WH	CFE10WH	CFE08WH
EAN CODE	5018787390028	5018787400024	5018787370020
PACKAGING	Box	Box	Box
PALLET	1/40	1/40	1/40
OUTLET	1"	1"	1"
FLUSH	Auto Siphon	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l	3 gallon / 13.6l
INLET	Petcock	Petcock	Petcock
ACCESS	Top	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls	3 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71		

CONCORD EXPOSED CISTERN



CCD41WH

- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 455mm x H - 318mm x D - 155mm



*Siphon

REFERENCE	CCD41WH	CCD51WH	CCD02WH
EAN CODE	5018787720023	5018787730022	5018787760029
PACKAGING	Box	Box	Box
PALLET	1/56	1/56	1/56
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Siphon	Single Flush Metro Siphon	Single Flush Metro Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓
ASSEMBLED	✗	✗	✗
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

CONCORD EXPOSED AUTO CISTERN



- ▶ Used with urinals where an exposed auto flush is required
- ▶ Suitable for both new and retrofit installations
- ▶ Compatible with our extensive range of urinal pipework and spreaders, refer to p64
- ▶ W - 455mm x H - 318mm x D - 155mm



*Siphon

REFERENCE	CCD09WH	CCD10WH
EAN CODE	5018787700025	5018787740021
PACKAGING	Box	Box
PALLET	1/56	1/56
OUTLET	1"	1"
FLUSH	Auto Siphon	Auto Siphon
FLUSH VOLUMES	1 gallon / 4.5l	2 gallon / 9l
INLET	Petcock	Petcock
ACCESS	Top	Top
SUITABLE FOR	1 Bowl	2 Bowls
SPARES & ACCESSORIES	Refer to page 66 - 71	

RHINO EXPOSED CISTERN



CCR02WH

- ▶ Heavy duty anti-vandal cistern with a high gloss finish
- ▶ A proven solution for contract and specification applications and heavy duty areas
- ▶ Metro Rapid allows for easy maintenance without removing the cistern
- ▶ Ideal for both new and retrofit installations
- ▶ Fittings and flushpipe included (low level only)
- ▶ W - 515mm x H - 290mm x D - 190mm



*Siphon

REFERENCE	CCR41WH	CCR51WH	CCR02WH
EAN CODE	5018787040022	5018787180025	5017134113259
PACKAGING	Box	Box	Box
PALLET	1/56	1/56	1/56
OUTLET	1 1/2"	1 1/2"	1 1/2"
FLUSH	Single Flush Metro Rapid Siphon	Single Flush Metro Rapid Siphon	Single Flush Metro Rapid Siphon
FLUSH VOLUMES	6l, 7l + 9l	6l, 7l + 9l	6l, 7l + 9l
INLET	Side Entry Silenta Part 3 Ball Valve	Bottom Entry Silenta Part 3 Ball Valve	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low	Low	High
ACCESS	Top	Top	Top
INTERNAL OVERFLOW	✓	✓	✓
ASSEMBLED	✗	✗	✗
LEVER	Chrome	Chrome	Cord & Pull
SPARES & ACCESSORIES	Refer to page 66 - 71		

LONDON EXPOSED CISTERN




- ▶ Modern design cistern with in-built push lever
- ▶ Suitable for both low and high level installations
- ▶ Ideal for heavy traffic areas
- ▶ Fittings and flushpipe included
- ▶ W - 425mm x H - 359mm x D - 154mm
- ▶ Compatible with squat pans



REFERENCE	50120150
EAN CODE	5017134132007
PACKAGING	Box
OUTLET	1 1/2"
FLUSH	Single Flush Valve
FLUSH VOLUMES	6l
INLET	Side Entry Silenta Part 3 Ball Valve
LEVEL	Low or High
ACCESS	Top
INTERNAL OVERFLOW	✓
ASSEMBLED	x
LEVER	In-built push lever or cord and pull

URINAL FLUSHING



URINAL BOWL PIPEWORK (EXCLUDING SPREADERS)



3 bowl pipework (UFC23CP)

Choosing the correct range for your installation

Cistern Offset

- ▶ The cistern offset is the distance from the back of the wall to the centre of the cistern hole. Please note that for any measurements outside of the sizes stated, the nearest one should be used. For example if the measurement is 70mm, the required offset would be 74mm.

Bowl Offset

- ▶ The bowl offset is determined by the distance required to allow the 15mm pipe to fit the suitable spreader when fixed to the urinal bowl. Concealed installations will generally have no offsets.

No. of bowls x offset	60mm cistern offset	74mm cistern offset	90mm cistern offset	110mm cistern offset
1 x no offset	UFA01CP	UFA11CP	UFA21CP	-
1 x 23mm offset	UFA02CP	UFA12CP	UFA22CP	UFA32CP
2 x no offset	-	UFB11CP	UFB21CP	-
2 x 23mm offset	UFB02CP	UFB12CP	UFB22CP	UFB32CP
2 x 38mm offset	-	UFB13CP	UFB23CP	-
3 x no offset	-	UFC11CP	UFC21CP	-
3 x 23mm offset	UFC02CP	UFC12CP	UFC22CP	UFC32CP
3 x 38mm offset	-	UFC13CP	UFC23CP	-
4 x no offset	-	-	UFD21CP	-
4 x 23mm offset	-	UFD12CP	UFD22CP	-

AUTO SIPHONS

- ▶ Suitable for concealed or exposed plastic or ceramic cisterns
- ▶ Easy to remove siphon for routine maintenance
- ▶ Compatible with Macdee Wirquin urinal flushing range

















DESCRIPTION	1" Outlet, 1 gallon/4.5L	1" Outlet, 2 gallon/9L	1" Outlet, 3 gallon/13.6L	1 1/4" Outlet, 1 gallon/4.5L	1 1/4" Outlet, 2 gallon/9L	1 1/4" Outlet, 3 gallon/13.6L	1/2" Petcock
REFERENCE	DSY2800	DSY2900	DSY3000	DSY3100	DSY3200	DSY3300	DSY3400
EAN CODE	5017134104967	5017134104974	5017134104981	5017134104998	5017134105001	5017134105018	5018787940063
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/70	01/60	01/60	01/70	01/60	01/60	01/100

URINAL SPREADERS



DESCRIPTION	15mm Top Inlet	15mm Kingston Top Inlet	15mm Sanura Top Inlet	15mm Top Inlet	15mm Top Inlet	15mm Back Inlet, 3" Tail	1/2" Back Inlet	15mm Back Inlet, 6" Tail
REFERENCE	USB36CP	USB37CP	UST43CP	UST44CP	UST46CP	USB38CP	USB30CP	USB39CP
EAN CODE	5024139100719	5024139087737	5024139078964	5024139072894	5024139068033	5024139073006	5024139079763	5017134129229
PACKAGING	Bag	Bag	Bag	Bag	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	1	1	1	1	1	1	1	1





	BRASS BODY			PLASTIC BODY			
							
DESCRIPTION	1/4" stainless steel dome, plastic backnut	1/2" stainless steel dome, plastic backnut	1/2" stainless steel dome, plastic backnut	1/4" plastic backnut	1/2" plastic backnut	1/4" plastic backnut	1/2" plastic backnut
REFERENCE	WUS01SS	WUS02SS	WUS03SS	WUS51WH	WUS52WH	WUS53WH	WUS54WH
EAN CODE	5024139089021	5024139096814	5024139008879	5024139006370	5024139006363	7654321019680	7654321019697
PACKAGING	Box	Box	Box	Bag	Bag	Bag	Bag
MULTIPLE / BOXED QUANTITY	01/50	01/50	01/60	01/10	01/10	01/10	01/10
TAIL LENGTH mm	89 mm	88 mm	46,5 mm	50 mm	50 mm	90 mm	90 mm
TECHNICAL DRAWING							

CISTERN LEVERS








							
DESCRIPTION	Victorian - Chrome plated metal & ceramic lever	Sofia - Chrome plated metal fingertip lever, 115mm	Sofia - Chrome plated plastic lever, 115mm	Paris - Chrome plated metal fingertip lever, 105mm	Plastic universal adjustable arm	Brass adjustable arm	200mm x 5/16" extension bar
REFERENCE	DCA01WH	DCA01CP	DCA15CP	DCC05CP	DCA1700	DCA2400	LMZ2000
EAN CODE	5017134103106	5017134103076	5017134103380	507134128826	5017134103403	5017134103434	507134128833

DOC M CISTERN LEVER

HIDEAWAY CISTERN LEVERS






				
DESCRIPTION	Enable - Chrome metal easy use lever	210mm Chrome Lever Kit	340mm Chrome Lever Kit	420mm Chrome Lever Kit
REFERENCE	DCA52CP	DCA66CP	DCA67CP	DCA39CP
EAN CODE	5017134128840	5017134103625	5017134103656	5017134103533

FLUSHPIPES

							
DESCRIPTION	White 3 1/2" x 7 1/2" low level flushpipe	White 18" x 18" low level flushpipe	White 24" x 18" low level flushpipe	White 24" x 24" low level flushpipe	White 5" 6" two piece high level (backwall) flushpipe	White 7" 0" two piece high level (backwall) flushpipe	White 7" 0" three piece high level (sidewall) flushpipe
REFERENCE	DFP01WH	DFP05WH	DFP08WH	DFP09WH	DFP10WH	DFP11WH	DFP12WH
EAN CODE	5017134104011	5017134104172	5017134104196	5017134104202	5017134104226	5017134104233	5017134104240

FLUSHPIPES

FLUSHING ACCESSORIES

					
DESCRIPTION	White extended 2" to 1 1/2" flushpipe (352mm x 510mm) complete with flush bung	Flexible 2" flushpipe (white)	Flexible 1 1/2" flushpipe (white)	Flushpipe universal push over connector	Universal Bung
REFERENCE	DFP215WH	59050001	59050101	DFC1800	59180004
EAN CODE	5017134128376	3375539053832	3375539076497	5017134103816	3375537160884

FLUSHING VALVE ACCESSORIES

DESCRIPTION	Overflow washer for flushing (MOQ 5)	Jollyflush dual flush chrome push button (grey cable) (MOQ 5)	Dual flush chrome push button (For white, green or blue cable generation)	Kara 72mm Chrome dual flush push button*	Kara 50mm Chrome dual flush push button*	Single flush chrome push button***	Doc M single flush chrome push button***	72mm Chrome single flush push button**	Kara 50mm Chrome single flush push button**	Grey cable for MW2 and Jollyflush flushing valve
REFERENCE	10717748	10717795	19008001	SYG610CP	SYG611CP	19007001	10717796	SYG608CP	SYG609CP	19080001
EAN CODE	3375537177158	3375537177622	3375539046223	5017134119343	5017134119350	3375539046216	3375537177639	5017134119367	5017134119374	3375537162505

*Compatible with Kayla dual flush pneumatic flush valve only.












**Compatible with Kayla single flush pneumatic valve only.

*** Compatible with Jollyflush cable valve only.










SIPHON SPARES

DESCRIPTION	Metro Rapid or Metro one siphon diaphragm washer - oblong	Metro Rapid diaphragm washer - Square	Metro Rapid diaphragm - Washer - Round	Metro Rapid diaphragm washer - D Shape	Metro siphon 1 1/2" back nut	Metro siphon 1 1/2" base sealing washer	Metro siphon 1 1/2" coupling nut	Low level flushpipe sealing washer	Metro 2 1/4" metal c-link	Metro 3 1/2" metal c-link	Metro 4 3/8" metal c-link	5" siphon diaphragm washer	Metro Rapid spares kit	Metro flush volume selector
REFERENCE	DSY1300	DSB4100	DSB4200	DSY3900	DSY1500	DSY1600	DSY1700	DFP1400	DSY1900	DSY2000	DSY2100	DSY3600	DSA5000	DSA5900
EAN CODE	5017134104868	5017134128888	5017134128895	5017134128901	5017134104875	5017134104882	5017134104899	5017134104264	5017134128918	5017134128925	5017134128932	5017134128949	5017134104585	5017134128956

CISTERN ACCESSORIES





											
DESCRIPTION	White blanking off plug complete with washer and backnut, packed and sold in 10's	Chrome plated blanking off plug complete with washer and backnut and sold in 10's	Close coupling kit (1 1/2" outlet) complete with close coupling washer	Stepped conical close coupling washer (rubber) 1 1/2"	Plain conical close coupling washer (rubber) 1 1/2"	Close coupling washer 120mm x 57mm x 20mm (foam) 1 1/2" outlet	Close coupling washer 99mm x 57mm x 20mm (foam) 1 1/2" outlet	Close coupling washer 110mm x 70mm x 20mm (foam) 2" outlet	Galvanised cistern support brackets (pair)	Close coupling washer for 2" outlet	Bolted close coupling kit
REFERENCE	DCA45WH	DCA45CP	DCP1400	DCA3200	DCA3210	DCA2800	DCA2801	DCA2803	DCA4600	M32	10717751
EAN CODE	5017134103557	5017134103540	5017134103731	5017134103496	5017134103502	5017134103465	5017134103472	5017134128871	5017134103564	3375530070210	3375537160891

PLUMBING ACCESSORIES

									
DESCRIPTION	15mm snap on pipe clips (100's)	22mm snap on pipe clips (100's)	1/2" tap and ball valve washers (100's)	3/4" tap and ball valve washer (100's)	3/4" overflow rubber washer	2 3/8" x 1 1/16" 1 1/4" lavatory washer (sold in 100's)	3 3/4" x 1 15/16" 1 1/2" bath washer (sold in 100's)	3 1/2" x 1 15/16" 1 1/2" sink washer (sold in 100's)	Universal top hat spacers 3/4" to 1/2" (sold in 100's)
REFERENCE	DPA0300	DPA0400	DPA0900	DPA1000	DPA1100	DPA1200	DPA1500	DPA1600	DPA1700
EAN CODE	5017134104325	5017134104332	5017134104387	5017134104394	5017134104400	5017134104417	5017134104448	5017134104455	5017134104462











SILENTA INLET ACCESSORIES

JOLLYFILL/TOPY SPARE

				
DESCRIPTION	Silenta ball valve diaphragm washer	Silenta ball valve high pressure seating	Silenta ball valve low pressure seating	Jollyfill and Topy diaphragm washer (sold in 5s)
REFERENCE	DVA1100	DVA1200	DVA1300	10717797
EAN CODE	5017134128970	5017134128987	5017134128994	3375537177646








CONCEALED CISTERN SPARES & ACCESSORIES

	DUO COMPACT						HIDEAWAY					
												
DESCRIPTION	2" to 1 1/2" Kayla Flush Valve	Jollyfill Side Entry Inlet Valve	Jollyfill Bottom Entry Inlet Valve	Front Access Chrome Fascia Plate	Round Dual Flush Push Button	Oval Dual Flush Push Button	8 1/2" Dual Flush Metro Rapid Siphon & Fixing Kit	Side Entry Inlet Valve	Bottom Entry Inlet Valve	210mm Chrome Lever Kit	340mm Chrome Lever Kit	420mm Chrome Lever Kit
REFERENCE	DVA0100	10120033	10120028	CDF01CP	C217	C218	DSY70DF	DVF5100	DVF5200	DCA66CP	DCA67CP	DCA39CP
EAN CODE	5017134115376	5017134129526	5017134129311	5017134134278	5016203316966	5017134134346	5017134119671	5017134105384	5017134105391	5017134103625	5017134103656	5017134103533

	PNEU COMPACT									
										
DESCRIPTION	1 1/2" Kayla Single Flush Valve	2" Kayla Dual Flush Valve	Jollyfill Side Entry Inlet Valve	Jollyfill Bottom Entry Inlet Valve	Kara Single Flush Button - 72mm	Kara Single Flush Button - 50mm	Kara dual flush button - 72mm	Kara dual flush button - 50mm	Caspia Dual Flush Push Plate - Chrome	Caspia Dual Flush Push Plate - Stainless Steel
REFERENCE	DVA5350	DVA5200	10120033	10120028	SYG608CP	SYG609CP	SYG610CP	SYG611CP	SYG612CP	SYG612BS
EAN CODE	5017134120462	5017134119459	5017134129526	5017134129311	5017134119367	5017134119374	5017134119343	5017134119350	5017134119138	5017134128307

EXPOSED CISTERN SPARES & ACCESSORIES

ELAN						
						
DESCRIPTION	8 1/2" One Piece Metro Siphon & Fixing Kit	Side Entry Silenta Inlet Valve	Bottom Entry Silenta Inlet Valve	115mm Chrome Plastic Lever	High Level Lever Kit with Metal Chain & Wooden Pull	High Level Lever Kit with Nylon Cord & Pull
REFERENCE	DSY2138	DVF5100	DVF5200	DCA15CP	DCA1010	DCA1070
EAN CODE	5017134104929	5017134105384	5017134105391	5017134103380	5017134103311	5017134103250

CONCORD						
						
DESCRIPTION	8" One Piece Metro Siphon & Fixing Kit	Side Entry Silenta Inlet Valve	Bottom Entry Silenta Inlet Valve	115mm Chrome Plastic Lever	High Level Lever Kit with Metal Chain & Wooden Pull	2ft Metal Chain & Wooden Pull
REFERENCE	DSY4150	DVS1082	DVS3972	DCA15CP	DCA09CP	DCA1000
EAN CODE	5017134128772	5017134105452	5017134128789	5017134103380	5017134111613	5017134103243
						5017134103328

TANKS						
						
DESCRIPTION	4 Gallon/18 litre tank	4 Gallon/18 litre tank lid	4 Gallon/18 litre tank installation jacket	4 Gallon/18 litre tank lid - installation jacket and by-law 30 kit	Byelaw 30 kit	Byelaw 60 kit
REFERENCE	TTR0400	TLR0400	TJR0400	TBR0400	TBL3000	TBL6000
EAN CODE	5017134107258	5017134107067	5017134106985	5017134106824	5017134128857	5017134128864

www.wirquin.co.uk

