


Sinks & Taps




# Rangemaster Quality

Our sink and tap collection is renowned for its durable build and high quality. We're proud to say that the majority of our sinks are made in the UK at our factory in Long Eaton. All of our sinks have a stylish appearance and inner strength resulting from advanced manufacturing techniques. Thanks to our exceptional standards we can offer a 5 year warranty on all of our taps and up to 25 years on many of our sinks.



# Sink Accessories

To further your level of personal choice, we have developed an extensive collection of accessories to complement your sink and surround. From draining baskets to food preparation boards, accessories can be bought online or from your local Rangemaster sink stockists.



www.rangemastersinks.co.uk

# Our Commitment to the Environment

It is a testament to our reliability and commitment to the environment that Rangemaster is the proud recipient of double ISO accreditation. BS EN ISO 9001 certifies that Rangemaster products are designed and manufactured to an internationally recognised quality management system, while BS EN 14001 acknowledges our commitment to continually improving environmental performance by adopting an approved environmental management system.












# Our Stainless Steel Features

All Rangemaster inset stainless steel sinks are manufactured with a new Micro-Sheen™ finish featuring a hard wearing etched Rangemaster logo, and are framed within a subtle ground-edge trim to stand proud in your kitchen. This exquisite finish is complemented by the practicality of automatically applied sealant and pre-fitted clips for ease when installing.



# Fitted Clips & Seals

Rangemaster stainless steel inset sinks have fitted clips and seals reducing installation time and ensure a perfect, water tight contact with the work surface.



## ARLINGTON AR9851 / Specification: • Overall Size: 985 x 508 Main Bowl Size: 450 x 420 Handed Finish: Micro-Sheen™ with ground edge finish • Waste Kit: Included with ground edge finish Waste Kit: Included Min Base Unit: 600

# ARLINGTON AR9852 /

### Specification: Overall Size: 985 x 508 Main Bowl Size: 340 v 420

- Second bowl size: 160 x 350 Handed
- Finish: Micro-Sheen™
- with ground edge finish Waste Kit: Included



## ARLINGTON Available as single & 1.5 bowl

Embracing the trend for all things geometric, featuring stylish square wastes and a smooth drainer, for a bold but streamlined addition to a contemporary kitchen scheme. Manufactured from high grade stainless steel, with an enhanced Micro-Sheen<sup>™</sup> finish and ground edge trim.





- Stainless Steel






# ROCKFORD Available as single & 1.5 bowl

The Rockford incorporates classical linear styling and features distinctive bold lines. This is a versatile sink at home in a wide range of traditional and contemporary kitchens, while also offering impeccable quality and long term durability. The Rockford also benefits from our attractive soft brushed Micro-sheen™ finish.







# Specification: Overall Size: 1010 x 515 Main Bowl Size: 400 x 420 MANHATTAN MN10101\_/ Handed Finish: Micro-Sheen™ with ground edge finish Waste Kit: Included 515 Min Base Unit: 500 MANHATTAN MN10102\_/ Specification: • Overall Size: 1010 x 515 • Main Bowl Size: 350 x 420 Second Bowl Size: 156 x 342 Finish: Micro-Sheen™ with ground edge finish Waste Kit: Included Min Base Unit: 600

# MANHATTAN Available as single & 1.5 bowl

The Manhattan combines fantastic good looks with universal appeal. Designed to perfectly complement any kitchen scheme, this stainless steel sink is slightly larger than our other inset sinks. It is immensely practical and hard-working, with a recessed drainer preventing water spillage and low profile edges providing a flush,









# KEYHOLE Available as single & 1.5 bowl

Modern, innovative and beautifully understated, the Keyhole is a truly unique concept in sink design - an example of form and function in perfect harmony. Its large, round bowl is ideal for rinsing large pans and woks, while a deep, recessed drainer provides useful additional space for food preparation. The recess also ensures no water spillage when you're draining larger items.










## OAKLAND Available as single & 1.5 bowl

The Oakland sink is a modern twist on a classic design. Offering a sleek and contemporary look, with a lustrous Micro-Sheen™ finish, the Oakland range includes a single bowl and 1.5 bowl version - a perfect solution whatever style of kitchen you choose, however big your family.






# HOUSTON Available as single & 1.5 bowl

The Houston sink family is available in single and 1.5 bowl versions and features an eye-catching 'waterfall' styled drainer, which promises to create a design statement in any kitchen. Both models boast welded bowls to ensure high durability, while their generous dimensions offer excellent levels of practicality for homeowners who put their sink through its paces.







# SEDONA SD9851/ Specification: Overall Size: 985 x 508 Main Bowl Size: 400 x 420 Finish: Micro-Sheen™ with ground edge finish Waste Kit: Included Min Base Unit: 600 Specification: • Overall Size: 985 x 508 SEDONA SD9852/ • Main Bowl Size: 350 x 420 Second Bowl Size: 156 x 342 Finish: Micro-Sheen™ with ground edge finish Waste Kit: Included Min Rase Unit: 600









# MICHIGAN Available as single compact, single & 1.5 bowl

Made from high-grade 18/10 stainless steel, this range comprises a compact 1.0 bowl, 1.0 bowl and 1.5 bowl sizes to suit all cabinetry designs. Each sink comes with our shiny Micro-Sheen™ finish, ground edge rim, etched logo, full waste kit with basket strainer wastes and circular overflow.







### 10 rangemastersinks.co.uk

# GLENDALE GL9501/ Specification: Overall Size: 950 x 508 Main Bowl Size: 360 x 424 Finish: Micro-Sheen™ with ground edge finish • Waste Kit: Included Min Base Unit: 500 GLENDALE GL9502/ Specification: • Overall Size: 950 x 508 Main Bowl Size: 360 x 424 Second Bowl Size: 156 x 342 Reversible Finish: Micro-Sheen™ with ground edge finish Waste Kit: Included Min Base Unit: 600

# GLENDALE Available as single & 1.5 bowl

Manufactured from high grade stainless steel, the Glendale promises to be practical and hard working, with a 25 year warranty as standard. Offering the flexibility of a single bowl or 1.5 bowl option, the drainer takes on a bold linear design which is easy to clean and sits perfectly within a range of kitchen styles.








# BALTIMORE Available as single compact, single & 1.5 bowl


Flexible in form and function, the Baltimore family includes compact, standard single bowl and 1.5 bowl variants. Utilising a stylish "sun burst" design drainer and manufactured from high grade stainless steel with ground edge trim, the Baltimore collection hosts three quality sinks which are at home in either contemporary or traditional kitchens.







BALTIMORE COMPACT BL8001/



## ATLANTIC KUBE 10mm corner radius

With a dramatic 10mm radii defining the corners to this bowl type, the Kube undermount creates a geometric effect which will sit perfectly within streamlined cabinetry. Featuring a modern square waste and overflow, this range is available in a mix of single, 1.5 and double bowl configurations.

Specification:

Specification:

- Included

Specification:

• Overall Size: 530 x 430

· Waste Kit: Square BSW

Main Bowl Size: 500 x 400





WDUSQAD/ Square Waste Adapte








## ATLANTIC QUAD 25mm corner radius

The Quad undermount range features more distinct lines than the classic undermount, with a 25mm radius in the bowl corners. Made from high grade stainless steel, the Quad bowls feature a square waste and overflow to suit more contemporary kitchen schemes, and come in a variety of configurations to suit your needs.














Min Base Unit: 400

## ATLANTIC CLASSIC

The Classic undermounts have an elegant curvature to the bowls, creating a discreet sink solution suited to any kitchen scheme. Flexibility is also at the forefront of Rangemaster's undermount sinks, with the option of combining different bowl sizes to suit, in addition to both handed and reversible multiple bowl options. All come with a basket strainer waste provided, and a 25 year warranty.













KA28 Strainer Bowl Stainless Steel

KA12 Draining Basket

## CLASSIC UB15/



- Specification:
   Overall Size: 185 x 370 Main Bowl Size: 156 x 342
  Finish: Micro-Sheen™




## CLASSIC UB35/



## Specification:

- Overall Size: 378 x 448
   Main Bowl Size: 350 x 420
- Waste Kit: Included



### CLASSIC UB40/



# Specification: • Overall Size: 460 x 440

- Finish: Micro-Sheen™ · Waste Kit: Included
- Min Base Unit: 500



### CLASSIC UB45/



## Specification:



- Overall Size: 490 x 460
  - Finish: Micro-Sheen<sup>1</sup> Waste Kit: Included



Min Base Unit: 600





CLASSIC UB3515/

### Specification:


- Overall Size: 597 x 472
   Main Bowl Size: 350 x 420 Finish: Micro-Sheen™
- Reversible
  - Waste Kit: Included



## CLASSIC UB3515\_/ Specification:



- Overall Size: 597 x 472 • Main Bowl Size: 350 x 420
- Second Bowl Size: 156 x 342 Finish: Micro-Sheen™
- Waste Kit: Included



## CLASSIC UB3535/

### Specification:

- Overall Size: 787 x 472 Main Bowl Size: 350 x 420
   Second Bowl Size: 350 x 420
  - Finish: Micro-Sheen™ Waste Kit: Included



### CLASSIC UB4040/

# Specification:




- Overall Size: 945 x 460 Main Bowl Size: 420 x 400 • Second Bowl Size: 420 x 400

## Finish: Micro-Sheen™ · Waste Kit: Included

# Min Base Unit: 1000

## CLASSIC UB4015\_/





- Second Bowl Size: 156 x 342 Finish: Micro-Sheen™
- Waste Kit: Included





16 rangemastersinks.co.uk

# AMETHYST Available as single compact, single & 1.5 bowl

The modern classic lines of this elegant trio will look equally at home in a contemporary or traditional kitchen. Choose the more compact single bowl model if you're pushed for space or spread out with the large single or 1.5 bowl models,








# SCORIA Available as single & 1.5 bowl

Sleek, sophisticated styling with a tough, resistant composition; the Scorias crisp, minimalist lines make this a popular choice for the modern kitchen.









# ANDESITE Available as single & 1.5 bowl

Andesite inset sinks encompass a simple yet sleek drainer pattern alongside large geometric bowls, which offer a contemporary look that is at home in a range of modern kitchens. Attractive circular wastes and overflows, bold contemporary lines and low radius corners culminate into a stunning design for the trend-







# PARAGON Available as 1.5 bowl


Go under-mounted for a sleek, seamless worksurface and enjoy all the advantages of a durable 1.5 bowl sink with deep granite bowls. Boasting a modern geometric design, our Paragon sink is the ideal match for composite worksurfaces and fits neatly within a standard 60cm-wide cabinet.











# LUNAR Available as single & 1.5 bowl

Enjoy the softly curved features of the Lunar sink, the Lunar is made from a high quality composite material that's incredibly robust. Its minimalist draining area is precisely angled to carry away water with ease, while its curvaceous bowls are easier to clean than angular alternatives as there are no tight corners to harbour food debris.









# CUBIX Available as single & 1.5 bowl


The Cubix offers a striking contemporary design with solid, practical appeal. Incorporating a large main bowl, handy second bowl and a deep drainer, the Cubix sink is ideal as a food preparation area or as a washing up station.











# PORTLAND Available as single & 1.5 bowl

Designed to sit elegantly within a variety of kitchen schemes, the charming Portland fire-clay ceramic sink bears a smooth, high gloss finish, being both easy to clean and extremely durable. A choice of single bowl or 1.5 bowl variants offers flexibility to suit your everyday use.





Accessories Available (to buy your accessories visit rangemastersinks.co.uk):








# RUSTIC Available as single & 1.5 bowl

Rustic catches the morning light - and the eye. The single and 1.5 bowls are destined to become a firm favourite among those wanting complete freedom of choice over the configuration of their sink. Offering a modern or farmhouse feel, these sinks are beautifully easy to clean and fully cater for the needs of the enthusiastic chef.







# Specification: • Overall Size: 1010 x 510 NEVADA CNV1WH/ • Main Bowl Size: 470 x 340 Reversible Finish: Fire-Clay Ceramic Waste Kit: WKIT15/\* Min Base Unit: 600 NEVADA CNV2WH/ Specification: Overall Size: 1010 x 510 Main Bowl Size: 350 x 340 • Second Bowl Size: 140 x 340 Finish: Fire-Clay Ceramic Waste Kit: WKIT22/\* Min Base Unit: 600

# NEVADA WHITE Available as single & 1.5 bowl

The Nevada collection offers a unique blend of ceramic durability and ultra contemporary styling. Made from high quality fire-clay and glazed to a rich silky lustre, the Nevada is a joy to live with. With sleek bowls and a deep recessed drainer the sink is easy to clean and extremely hard wearing.






## **RUSTIQUE SINGLE BOWLS**

Fitted as either an inset or undermount sink the Rustique ceramic single bowls will provide a real focal point in the kitchen and contrast excellently to all colours and finishes.







# CLASSIC BELFAST CCBL595WH/ Specification: • Overall Size: 595 x 455 • Bowl Size: 535 x 395 Finish: Fire-Clay Ceramic Waste Kit: WKIT13/\* Min Base Unit: 600

# **CLASSIC BELFAST**

There's very little that captures the true essence of a traditional British kitchen guite like a Belfast sink. Sometimes referred to as the butler sink, the large solid design typifies the very heart of the home. Finished in a high lustre white gloss, complete with a traditionally styled weir waste overflow.













KA12 Draining Basket



## **FARMHOUSE BELFAST**

Created to seamlessly blend modern living with a traditional country kitchen, the Farmhouse Belfast is a stylish alternative to a classic design. By incorporating the latest materials for reduced weight, alongside a more rounded and curvaceous bowl design, this fire-clay ceramic sink adds new appeal to its traditional aesthetics.







## **DOUBLE BOWL BELFAST**

Embrace the classic good looks of a Belfast-style sink. Made from high-grade fire-clay ceramic with ultra smooth surfaces throughout, the Double Bowl Belfast boasts extra large deep bowls - perfect for washing trays and pans that won't fit in the dishwasher.





KA12 Draining Basket

nrome effect and





safe dispensing of 98° water with its child-safe key fob system, smart anti-scale technology for hassle free maintenance and efficiently delivers over 100 cups of perfectly filtered 98° water an hour.

































28 rangemastersinks.co.uk























SPA FILTER TAPS

















Rangemaster's range of waste disposers are clean, hygienic and easy to use. All units have



HEAVY DUTY 800

WDU800/

Reducing the impurities found in regular tap water, Rangemaster's filter tap co-ordinates with a water filter under the sink for pure tasting water. Simply pull the cold lever forward for mains water and back for filtered water.



AQUAMODE 1

TAE1CM/ Chrome



**MONORISE** 

TMR1CM/ Chrome

TMR1BF/ Brushed Finish




AQUADISC 5

TAD5CM/ Chrome




WASTE DISPOSAL UNITS

can be fitted with only a standard mains connection.



NB. These are only compatible with square waste sinks when using the square waste adapters. Always check with the sink installer when fitting a waste disposal unit with a ceramic sink.



Taps are not shown to scale. Taps are not shown to scale.

# STAINLESS STEEL SINKS

	Arlington AR9851_/	Arlington AR9852_/	Rockford RK9851_/	Rockford RK9852_/	Manhattan MN10101_/	Manhattan MN10102_/	Keyhole KY10001/	Keyhole KY10002/
Drainer Position	Handed	Handed	Handed	Handed	Handed	Handed	Reversible	Reversible
No. of Bowls	1	1 ½	1	1 ½	1	1 ½	1	1 ½
Min Base Unit (mm)	600	600	600	600	500	600	500	800
Overall Length (mm)	985	985	985	985	1010	1010	1000	1000
Overall Width (mm)	508	508	508	508	515	515	520	520
Cutout Size Length (mm)	965	965	965	965	990	990	980	980
Cutout Size Width (mm)	488	488	488	488	495	495	500	500
Main Bowl Length (mm)	450	340	340	340	400	350	420ø	420ø
Main Bowl Width (mm)	420	420	420	420	420	420	420ø	420ø
Main Bowl Depth (mm)	190	190	190	190	190	190	189	189
Second Bowl Length (mm)	-	350		350	-	156	-	156
Second Bowl Width (mm)	-	160	-	160	-	342	-	300
Second Bowl Depth (mm)	-	130	-	130	-	120	-	115
Material	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS
Gauge (mm)	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	90 square	90 square	89	89	89	2 x 89	89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	1 x 35	1 x 35	1 x 35	1 x 35	1 x 35	1 x 35	-	-
Guarantee (years)	25	25	25	25	25	25	25	25

	Oakland OL9851_/	Oakland OL9852_/	Houston HS9851/	Houston HS9852/	Sedona SD9851/	Sedona SD9852/
Drainer Position	Handed	Handed	Reversible	Reversible	Reversible	Reversible
No. of Bowls	1	1 ½	1	1 ½	1	1 ½
Min Base Unit (mm)	600	600	600	600	600	600
Overall Length (mm)	985	985	985	985	985	985
Overall Width (mm)	508	508	508	508	508	508
Cutout Size Length (mm)	965	965	965	965	965	965
Cutout Size Width (mm)	488	488	488	488	488	488
Main Bowl Length (mm)	450	360	400	350	400	350
Main Bowl Width (mm)	420	424	420	424	420	420
Main Bowl Depth (mm)	190	170	190	190	190	190
Second Bowl Length (mm)	-	156	-	156	-	156
Second Bowl Width (mm)	-	342	-	342	-	342
Second Bowl Depth (mm)	-	120	-	120	-	120
Material	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS	18/10 SS
Gauge (mm)	0.9	0.9	0.9	0.9		
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	89	2 x 89	89	2 x 89	89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	1 x 35	1 x 35	1 x 35	1 x 35	1 x 35	1 x 35
Guarantee (years)	25	25	25	25	25	25

	Michigan MG8001/	Michigan MG9501/	Michigan MG9502/	Glendale GL9501/	Glendale GL9502/	Baltimore BL8001/	Baltimore BL9501/	Baltimore BL9502/
Drainer Position	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible
No. of Bowls	1	1	1 ½	1	1 ½	1	1	1 ½
Min Base Unit (mm)	500	500	600	500	600	450	600	600
Overall Length (mm)	800	950	950	950	950	800	950	950
Overall Width (mm)	508	508	508	508	508	508	508	508
Cutout Size Length (mm)	780	930	930	930	930	780	930	930
Cutout Size Width (mm)	488	488	488	488	488	488	488	488
Main Bowl Length (mm)	360	360	360	360	360	340	420	340
Main Bowl Width (mm)	424	424	424	424	424	424	400	410
Main Bowl Depth (mm)	155	155	155	155	155	150	160	160
Second Bowl Length (mm)	-	-	151	-	156	-	-	175
Second Bowl Width (mm)	-	-	300	-	342	-	-	320
Second Bowl Depth (mm)	-	-	120	-	120	-	-	80
Material	18/10 SS	18/10 SS	18/10 SS					
Gauge (mm)	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.8
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	1 x 89	1 x 89	2 x 89	89	2 x 89	89	89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	1 x 35	1 x 35	1 x 35					
Guarantee (years)	25	25	25	25	25	25	25	25

# KUBE UNDERMOUNT SINKS

	Kube KUB18/	Kube KUB34/	Kube KUB40/	Kube KUB50/	Kube KUB70/	Kube KUB3418_/	Kube KUB4040/	Kube KUB5018_/
Drainer Position	-	-	-	-	-	Handed	-	Handed
No. of Bowls	1	1	1	1	1	1 ½	2	1 ½
Min Base Unit (mm)	300	400	500	600	800	600	900	800
Overall Length (mm)	210	370	430	530	730	580	860	740
Overall Width (mm)	430	430	430	430	430	430	430	430
Cutout Size Length (mm)	-	-	-	-	-	-	-	-
Cutout Size Width (mm)	-	-	-	-	-	-	-	-
Main Bowl Length (mm)	180	340	400	500	700	340	400	500
Main Bowl Width (mm)	400	400	400	400	400	400	400	400
Main Bowl Depth (mm)	140	200	200	200	200	200	200	200
Second Bowl Length (mm)	-	-	-	-	-	180	400	180
Second Bowl Width (mm)	-	-	-	-	-	400	400	400
Second Bowl Depth (mm)	-	-	-	-	-	140	200	140
Material	18/10 SS	18/10 SS	18/10 SS					
Gauge (mm)	1.0	1.0	1.0	1.0	1.2	1.0	1.0	1.0
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	90 Square	90 Square	90 Square					
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-	-	-	-	-	-	-	-
Guarantee (years)	25	25	25	25	25	25	25	25

# QUAD UNDERMOUNT SINKS

	Quad QUB16/	Quad QUB18/	Quad QUB34/	Quad QUB48/	Quad QUB3416_/	Quad QUB3418_/	Quad QUB3434/	Quad QUB4818_/
Drainer Position		-	-	-	Handed	Handed	-	Handed
No. of Bowls	1	1	1	1	1 ½	1 ½	2	1 ½
Min Base Unit (mm)	300	300	400	600	600	600	800	800
Overall Length (mm)	200	234	390	530	580	600	760	740
Overall Width (mm)	340	450	450	450	450	450	450	450
Cutout Size Length (mm)	-	-	-	-	-	-	-	-
Cutout Size Width (mm)	-	-	-	-	-	-	-	-
Main Bowl Length (mm)	160	180	340	480	340	340	340	480
Main Bowl Width (mm)	300	400	400	400	400	400	400	400
Main Bowl Depth (mm)	115	120	185	195	185	180	185	195
Second Bowl Length (mm)	-	-	-	-	160	180	340	180
Second Bowl Width (mm)	-	-	-	-	300	400	400	400
Second Bowl Depth (mm)	-	-	-	-	115	120	185	120
Material	18/10 SS	18/10 SS	18/10 SS	18/10 SS				
Gauge (mm)	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	90 Square	90 Square	90 Square	90 Square				
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-	-	-	-	-	-	-	-
Guarantee (years)	25	25	25	25	25	25	25	25

# **CLASSIC UNDERMOUNT SINKS**

	Classic UB15/	Classic UB35/	Classic UB40/	Classic UB45/	Classic UB3515_/	Classic UB3535/	Classic UB4040/
Drainer Position	-	-	-	-	Reversible or Handed	-	-
No. of Bowls	1	1	1	1	1 ½	2	2
Min Base Unit (mm)	300	400	500	600	600	800	1000
Overall Length (mm)	185	378	460	490	597	787	945
Overall Width (mm)	370	448	440	460	472	472	460
Cutout Size Length (mm)	-	-	-	-	-	-	-
Cutout Size Width (mm)	-	-	-	-	-	-	-
Main Bowl Length (mm)	156	350	420	450	350	350	420
Main Bowl Width (mm)	342	420	400	420	420	420	400
Main Bowl Depth (mm)	120	190	190	190	190	190	190
Second Bowl Length (mm)	-	-	-	-	156	350	420
Second Bowl Width (mm)	-	-	-	-	342	420	400
Second Bowl Depth (mm)	-	-	-	-	120	190	190
Material	18/10 SS	18/10 SS	18/10 SS				
Gauge (mm)	0.8	0.8	0.9	0.9	0.9	0.9	0.9
Finish Drainer	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Finish Bowl	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen	Micro-Sheen
Waste Size (mm)	89	89	89	89	2 x 89	2 x 89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-	-	-	-	-	-	-
Guarantee (years)	25	25	25	25	25	25	25

# **IGNEOUS SINKS**

	Amethyst AME860/	Amethyst AME1051/	Amethyst AME1052/	Scoria SCO1051/	Scoria SCO1052/	Andesite AND1051/	Andesite AND1052/	Paragon PAR3115/
Drainer Position	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible	Right Hand Only
No. of Bowls	1	1	1 ½	1	1 ½	1	1 ½	1 ½
Min Base Unit (mm)	450	600	600	600	600	600	600	600
Overall Length (mm)	860	1000	1000	1000	1000	1000	1000	550
Overall Width (mm)	500	500	500	500	500	500	500	430
Cutout Size Length (mm)	840	980	980	980	980	980	980	520
Cutout Size Width (mm)	480	480	480	480	480	480	480	400
Main Bowl Length (mm)	348	482	341	480	345	480	345	310
Main Bowl Width (mm)	500	422	500	440	440	430	430	370
Main Bowl Depth (mm)	204	220	204	200	200	200	200	200
Second Bowl Length (mm)	-	-	161	-	155	-	155	152
Second Bowl Width (mm)	-	-	301	-	295	-	340	370
Second Bowl Depth (mm)	-	-	148	-	146	-	146	130
Material	Igneous	Igneous	Igneous	Igneous	Igneous	Igneous	Igneous	Igneous
Gauge (mm)	-	-	-	-	-	-	-	-
Finish Drainer	-	-	-	-	-	-	-	-
Finish Bowl	-	-	-	-	-	-	-	-
Waste Size (mm)	1 x 90	1 x 90	2 x 90	1 x 90	2 x 90	1 x 90	2 x 90	2 x 90
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-	-	-	-	-	-	-	-
Guarantee (years)	25	25	25	25	25	25	25	25

# **NEO-ROCK SINKS**

	Cubix CX9851/	Cubix CX9852/	Lunar LU9851/	Lunar LU9852/
Drainer Position	Reversible	Reversible	Reversible	Reversible
No. of Bowls	1	1 ½	1	1 ½
Min Base Unit (mm)	600	650	600	650
Overall Length (mm)	985	985	985	985
Overall Width (mm)	508	508	508	508
Cutout Size Length (mm)	965	965	965	965
Cutout Size Width (mm)	488	488	488	488
Main Bowl Length (mm)	500	350	498	344
Main Bowl Width (mm)	428	428	428	428
Main Bowl Depth (mm)	180	180	195	195
Second Bowl Length (mm)	-	160	-	160
Second Bowl Width (mm)	-	355	-	428
Second Bowl Depth (mm)	-	153	-	125
Material	Neo-Rock	Neo-Rock	Neo-Rock	Neo-Rock
Gauge (mm)	-	-	-	-
Finish Drainer	Granite	Granite	Granite	Granite
Finish Bowl	Granite	Granite	Granite	Granite
Waste Size (mm)	89	2 x 89	89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	1 x 35	1 x 35	1 x 35	1 x 35
Guarantee (years)	25	25	25	25

# FIRE-CLAY CERAMIC SINKS

	Portland CPL10101WH/	Portland CPL10102WH/	Rustic CRT10101WH/	Rustic CRT10202WH/	Nevada CNV1WH/	Nevada CNV2WH/
Drainer Position	Reversible	Reversible	Reversible	Reversible	Reversible	Reversible
No. of Bowls	1	1 ½	1	1 ½	1	1 ½
Min Base Unit (mm)	800	600	600	600	600	600
Overall Length (mm)	1010	1010	1000	1000	1010	1010
Overall Width (mm)	510	510	500	500	510	510
Cutout Size Length (mm)	990	990	980	980	990	990
Cutout Size Width (mm)	490	490	480	480	490	490
Main Bowl Length (mm)	460	350	390	390	470	350
Main Bowl Width (mm)	405	410	460	360	340	340
Main Bowl Depth (mm)	195	195	198	198	185	190
Second Bowl Length (mm)	-	135	-	147	-	140
Second Bowl Width (mm)	-	257	-	260	-	340
Second Bowl Depth (mm)	-	125	-	120	-	125
Material	Fire-clay	Fire-clay	Fire-clay	Fire-clay	Fire-clay	Fire-clay
Gauge (mm)	-	-	-	-	-	-
Finish Drainer	White	White	White	White	White	White
Finish Bowl	White	White	White	White	White	White
Waste Size (mm)	89	2 x 89	90	1 x 90, 1 x 60	89	2 x 89
Waste Kit	BSW	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-		-	-	-	-
Guarantee (years)	10	10	10	10	10	10

	Classic Belfast CCBL595WH/	DB Belfast CDB800WH/	Farmhouse Belfast CFBL595WH/	Rustique CRUB4825WH/	Rustique CRUB4648WH/
Drainer Position	-	-	-	-	-
No. of Bowls	1	2	1	1	1
Min Base Unit (mm)	600	800	600	300	500
Overall Length (mm)	595	800	595	475	475
Overall Width (mm)	455	490	455	250	450
Cutout Size Length (mm)	-	-	-	-	-
Cutout Size Width (mm)	-	-	-	-	-
Main Bowl Length (mm)	535	445	535	405	405
Main Bowl Width (mm)	395	360	395	180	380
Main Bowl Depth (mm)	220	185-195	222	155	215
Second Bowl Length (mm)	-	445	-	-	-
Second Bowl Width (mm)	-	360	-	-	-
Second Bowl Depth (mm)	-	185-195	-	-	-
Material	Fire-clay	Fire-clay	Fire-clay	Fire-clay	Fire-clay
Gauge (mm)	-	-	-	-	-
Finish Drainer	White	White	White	White	White
Finish Bowl	White	White	White	White	White
Waste Size (mm)	52	2 x 89	60	89	89
Waste Kit	BSW	BSW	BSW	BSW	BSW
Tap Hole Size ø (mm)	-			-	-
Guarantee (years)	10	10	10	10	10

# TAPS

+ / - 5mm

	Aquavibe TVB1_/	Aquadisc 3 TAD3_/	Aquaflow TAF1CM/	Modern Bridge TBL2CM/	Monorise TMR1_/	Aquaclassic 2 TAC2_/	Aquadisc 1 TAD1CM/	Aquamode 1 TAE1_/	Trad. Bridge TBL3_/	Aquavogue TVO1_/
Minimum Pressure (bar)	0.5	0.2	0.2	0.1	0.5	0.3	0.3	0.3	0.3	0.3
Maximum Pressure (bar)	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Overall Tap Height (mm)	287	210	163	370	363	359	278	353	355	398
Spout Exit Reach (mm)	214	210	230	215	194	190	193	190	192	216
Spout Exit Height (mm)	247	185	140	245	233	229	245	222	243	272

	Aquatrend TRE1_/	Cruciform TCF2_/	Ellipse TEP1_/	Aquaclassic 3 TAC3_/	Aquaspray 3 TAS3CM/	Belfast Trad. TBL1_/	Aquapro TAP1_/	Quad. SL TQSL1_/	Quad. Cont. TQC1_/	Q. Monobloc TQM1_/
Minimum Pressure (bar)	0.3	0.3	0.6	0.3	1.5	0.1	0.5	0.5	0.4	M0.5
Maximum Pressure (bar)	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Overall Tap Height (mm)	379	392	277	380	180	368	285	317	291	335
Spout Exit Reach (mm)	216	216	185	216	200	190	210	219	219	200
Spout Exit Height (mm)	253	265	210	254	120	260	250	297	271	230

	Q. Monostem 2 TMO2_/	Metrix TMX1_/	Aspire TAI1_/	Pro Spray TPR1CM/	Aquaclassic Spa TSA4_/	Cruciform Spa TSA5_/	Aquatrend Spring TRE1SPRCM/	Aquatrend Single Lever Pull Out TRE1SLPO_/	Aquatrend Pull Out TRE1PO_/	Aquatrend Black TRE1BL_/
Minimum Pressure (bar)	0.5	0.5	0.4	1.5	0.2	0.2	0.5	1.5	1.5	0.3
Maximum Pressure (bar)	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Overall Tap Height (mm)	275	263	365	535	392	392	528	390	388	379
Spout Exit Reach (mm)	206	220	231	184	216	216	188	220	220	216
Spout Exit Height (mm)	250	243	230	225	265	265	200	205	203	253

	Aquadisc 5 Pull Out TAD5POCM/	Belfast Monobloc TBM1CM/	Aquatrend Single Lever TRE1SL_/	Parma TPM1_/	Aquadisc 5 TAD5_/	Salorno TSN1CM/	Aquaclassic Spa Filter Tap TSA4CM/	Cruciform Spa Filter Tap TSA5_/
Minimum Pressure (bar)	0.75	0.3	0.4	0.3	0.3	0.4	0.2	0.2
Maximum Pressure (bar)	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5
Overall Tap Height (mm)	275	343	390	389	277	232	392	392
Spout Exit Reach (mm)	218	193	216	216	212	207	216	216
Spout Exit Height (mm)	244	232	264	263	247	203	265	265

# GEO TAPS

	Trend GEO43TRE_/	Classic GEO43CLA_/
Minimum Pressure (bar)	0.5	0.5
Maximum Pressure (bar)	5.5	5.5
Tap Height (mm)	425	425
Tap Reach (mm)	216	216
Height from base to spout (mm)	298	298
Tap Warranty (years)	5	5

# **GEO BOILER**

Minimum Pressure Inlet Pressure (bar)	2		
Boiler Type	Vented		
Power Rating (W)	2800		
Capacity (litres)	3		
Min Temp (°C)	80		
Max Temp (°C)	98		
Boiler Warranty (years)	2		
Boiler Dimensions (mm)	175 x 400 x 410		



Meadow Lane Long Eaton Nottingham NG10 2GD England

## **Trade Enquiries**

+44 (0)115 946 4000 tradesales@agarangemaster.co.uk

## **Consumer Enquiries**

+44 (0)800 804 6261 / 0370 789 5107 (from a mobile) consumers@agarangemaster.co.uk

## rangemastersinks.co.uk rangemaster.co.uk

Copyright AGA Rangemaster Ltd 2017.
Registered in England & Wales under registered number 3872754.
Registered office: Meadow Lane, Long Eaton, Nottingham, NG10 2GD.
Brand names, words and logo are registered trademarks of AGA Rangemaster Ltd.

Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for the sale of any particular product.