

THE
- PROFESSIONALCOLLECTION

For expert advice or to purchase over the phone speak to our Customer Services Team on

### +44 (0)1254 775111

Fax +44 (0)1254 873462 or visit us online at www.shawsofdarwen.com

#### When Shaws of Darwen was founded in the closing years of the 19th century, we had a vision - to make the finest handcrafted fireclay sinks in the whole of England.

Today, some 120 years on, that vision has been more than realised; Shaws now enjoys, not only a national, but a worldwide reputation for the craftsmanship, quality and durability of our unique artisan products.

We're immensely proud of our heritage, and the fact that our sinks are still handcrafted using time-honoured methods at our premises in the same quiet corner of North West England as they were when we first started out in 1897.


We're also exceedingly proud of our extensive Professional Collection, showcased in this brochure, which has been specifically designed for commercial applications such as schools, hotels, leisure, public buildings and laboratories.

These heavy-duty fireclay commercial products are expertly glazed and fired using state-of-the-art kiln technology, making them extremely robust, antibacterial, and both stain and acid resistant.



HANDCRAFTED FOR LIFE





# CONTENTS

Introduction
Belfast Fireclay Sinks
Fireclay Cleaner Sinks
Laboratory Fireclay Sink
Combination Fireclay Sin
Shelf Fireclay Sinks
Florida Fireclay Urinal
Fireclay Slab Urinals
Fireclay Drainers
Wastes & Traps
Legs & Brackets
Benefits Overview

•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	• •	• •	• •		C	)2	1
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		•		С	)(	5
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		•		С	){	3
<		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	• •		• •		1	(	)
	n		k	ζ		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	• •		• •		1	2	2
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	• •		• •		1	2	4
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	• •		• •		1	(	5
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		•		1	8	3
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		•		2	2(	)
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		• •		2		2
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •		•	•	•		• •		2		3
	•••	•	•											•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	••	,	2	24	4

~ .



### **Our Products**

Handcrafted to the highest standards at our premises in North West England, using time-honoured methods and state-of-the-art kiln technology, these unique, artisan fireclay products simply exude quality.

Durable, robust and practical, the Shaws Professional Collection represents our commercial offering, designed to provide our customers with products of substance, created to deliver a lifetime of service.

*Iconic, timeless, aspirational* and tactile, each sink is an original design, handcrafted to give a lifetime of service and pleasure.

### **Our Process**

It takes time to hand-make a Shaws sink, between three to four weeks in total, using traditional techniques that have been passed down from master craftsman to apprentice for well over a century.

Known as 'slip casting', the process begins with a mixture of locally sourced clay and water being poured into porous moulds.

When the newly formed sinks are dry enough, craftsmen remove them from their moulds before getting to work doing what they do best - expertly hand-finishing these artisan products through a process of sponging and 'fettling' to create a smooth surface.

At this stage, the master craftsman proudly imprints his name on the base of his creation, before leaving the sink to gradually dry out for a period of over 40 hours.

Only then are the sinks deemed ready to be prepared with a first coat of glaze, before being glazed for a second time to improve the durability of the product.

Firing in specially designed kilns at temperatures of over 1200 degrees Celsius completes this rigorous process.

# Handcrafted for Life

### **Our Values & Promise**

At Shaws, we believe wholeheartedly in delivering on our promise: to make the best handcrafted fireclay sinks in the world, backed up with exceptional customer service. We achieve this by being passionate in all we do, and working to the following set of proud values:

### Integrity

We're honest and straightforward in all our dealings with our customers, building relationships that stand the test of time - just like our handcrafted products. When you become a customer of Shaws, we consider you one for life.

### Reliability

Shaws has developed a worldwide reputation for reliability that we couldn't be more proud of. For creating beautiful, durable, handcrafted products that are made to provide a lifetime of service.

### Dependability

Shaws is a dependable partner, whether your requirements are large or small. We offer fantastic choice, products available from stock, simple trading terms and flexible delivery options. Our dedication to service is second-to-none, resulting in customers who are as committed to us as we are to them.



### Durability

All products that comprise the Shaws Professional Collection hold a number of independent industry accreditations for quality and resistance against chemicals and staining.

The hard-wearing glaze applied to every Shaws sink has been proven to reduce bacterial colonies of E-Coli and MRSA by 99.99% over a 24 hour period and were classified as Excellent in this area, which makes our sinks ideal for healthcare and school installations.

Each sink is produced using heavy fireclay material; cast, finished and glazed by hand in exactly the same fashion as our domestic ranges, ensuring the sinks are resilient to cracking, chipping and staining, however heavy-duty their usage.


Shaws enjoys an international reputation for quality, durability and integrity.



*Shaws products come with a:* **10-year guarantee** against staining and fading. 1-year guarantee against manufacturing defects.

For more details see our website.

### - BELFAST -**SPECIFICATIONS**





Desident					Dimensio			
Product	Code				С	D		
18″ Belfast	PC0100010	(mm)	460	380	205	390	310	165
18 Berrast	BS0100010 -	(in)	18	15	8	15	12	6
21″ Belfast	BS0200010 - BS0300010 -	(mm)	535	410	205	465	340	165
21 Berrast		(in)	21	16	8	18	13	6
24″ Belfast		(mm)	610	410	205	540	340	165
24 Berrast		(in)	24	16	8	21	13	6
Metric 24 Belfast	DC0000010	(mm)	595	460	255	540	380	220
Metric 24 Beitast	BS0800010	(in)	24	18	10	21	15	8
24// Delfect (Dece)	DC0400010	(mm)	610	410	255	540	340	220
24" Belfast (Deep)	BS0400010	(in)	24	16	10	21	13	8
20% Delfect	DC0(00010	(mm)	760	460	255	690	380	220
30" Belfast	BS0600010	(in)	30	18	10	27	15	8
26// Dalfast	DC0700010	(mm)	915	460	255	840	380	220
36" Belfast	BS0700010	(in)	36	18	10	33	15	8

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Suggested Accessories

Product	Code		Dimensions
25" Stainless Steel Legs & Brackets (x2)	FT0100002	(mm)	652
25 Stalliess Steel Legs & Brackets (X2)	F1010002	(in)	25
1½" Slotted Waste Fitting	FT2100013	(mm)	38
1/2 Slotted Waste Fitting	F12100015	(in)	1½
Vulathana Wate (Clathad)	FT000002	(mm)	38
Vulcathene Waste (Slotted)	FT8000003	(in)	1½
Velenthere Bettle Terr	FT000001	(mm)	38
Vulcathene Bottle Trap	FT8000001	(in)	1½

For drawings and details of Legs & Brackets see page 25

### - BELFAST -FIRECLAY SINKS

Traditional heavy duty fireclay Belfast sink.



### FEATURES


Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Weir overflow.  $1\frac{1}{2}$ " Centre end waste outlet. White finish.




### - CLEANER -SPECIFICATIONS

## - CLEANER -LOW & HIGH BACK

Practical low and high backed fireclay cleaner's sinks.





Product	Code				Dimensio			
Product	Code				С	D		
18″ Low Back	CL0300010	(mm)	460	380	205	355	385	305
(Birch) Cleaner	CLOSOOOTO	(in)	18	15	8	14	15	12
20″ Low Back	CL0200010	(mm)	510	380	230	380	435	305
Cleaner	CLOZOGOTO	(in)	20	15	9	15	17	12
20″ High Back	CL0100010	(mm)	510	380	230	535	435	305
(Alder) Cleaner	CLOTOGOTO	(in)	20	15	9	21	17	12

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Suggested Accessories

Product	Code		Dimensions
12" Stainless Steel Loss 9, Dreskets (v2)	FT0100001	(mm)	350
12" Stainless Steel Legs & Brackets (x2)	FT0100001	(in)	12
11/// Clotted Wests Fitting	FT2100012	(mm)	38
1½" Slotted Waste Fitting	FT2100013	(in)	1½

For drawings and details of Legs & Brackets see page 25




### FEATURES

Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Stainless steel bucket grating. Pre-drilled fixing holes.  $1\frac{1}{2}$ " Waste outlet. White finish.



### - LABORATORY -**SPECIFICATIONS**



Product	Code		Dimensions											
Product	Code				С	D	E							
Laboratory Type 1	LB0100010	(mm)	360	280	178	280	200							
Laboratory Type 1	LB0100010	(in)	14	11	7	11	8							
Laboratory Type 2	LB0200010	(mm)	330	330	180	250	250							
Laboratory Type 2	LB0200010	(in)	13	13	7	10	10							
Laboratory Type 3	LB0400010	(mm)	595	380	230	515	305							
Laboratory Type 5	LD0400010	(in)	24	15	9	20	12							
Laboratory Type 4	LB0300010	(mm)	460	365	200	375	280							
Laboratory Type 4	LDUSUUUIU	(in)	18	14	8	15	11							

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Suggested Accessories

Product	Code		Dimensions
Vulcathene Waste (Unslotted)	FT8000002	(mm)	38
vuicatilene waste (ofisiotteu)	F1800002	(in)	1½
Vulastikana Dattia Tran	FT8000001	(mm)	38
Vulcathene Bottle Trap	F18000001	(in)	1½

### - LABORATORY -FIRECLAY SINKS

Extremely durable science-friendly fireclay lab sinks.



Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Inset or undermount installation. No overflow. 1.5" Waste outlet. Available in four sizes. White finish.

### FEATURES

# - COMBINATION -




Heavy duty fireclay sink with integral drainer.




### FEATURES

Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. 3 Hole overflow. 3½" Centre end waste outlet. Integral drainer. White finish.

# **SPECIFICATIONS**





Product	Code			Dimensions	
Product	Code		Width	Depth	Height
35″ Combination	CO0100010	(mm)	897	460	240
55 Combination	00100010	(in)	35	18	9½

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Suggested Accessories

Product	Please Note
3½ Basket Waste	Please contact our Sales Office for details.

## - COMBINATION -FIRECLAY SINK

## - SHELF -FIRECLAY SINK

Traditional heavy duty fireclay sink.




### FEATURES

Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Integral tap platform with pre-formed tapholes. Soap recesses. Centred overflow. 1½" Offset waste outlet. Enclosed sides to conceal pipework. White finish.

> – 15 – handcrafted for life

# - SHELF - SPECIFICATIONS



Product	Code		Dimensions									
Product	Code		Width	Depth	Height							
	CU0100010	(mm)	630	547	255							
24" Shelf	SH0100010	(in)	24	21	10							

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process


#### Suggested Accessories


Product	Code		Dimensions
11// Clothed Monte Fitting	FT2100012	(mm)	38
1½" Slotted Waste Fitting	FT2100013	(in)	11/2


### - FLORIDA -**SPECIFICATIONS**


#### **TOP INLET**

#### **BACK INLET**









Product	Cada	Dimensions				
Product	Code		Width	Depth	Height	
Florida Wallmounted Urinal Top Inlet	FU0001TI	(mm)	475	277	710	
		(in)	18	11	28	
Elevide Wellmounted Using Deck Inlet	FU0002BI	(mm)	475	277	710	
Florida Wallmounted Urinal Back Inlet		(in)	18	11	28	

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Suggested Accessories

Product	Code
Top Inlet Spreader	FT3000035
Back Inlet Spreader	FT3000036
Waste with Connector	FT3000037

Luxury wall-mounted fireclay urinal.



### FEATURES

Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Available with either a top or back inlet. Hanging brackets are included with each urinal. Wall mounted. White finish.


> - 17 -HANDCRAFTED FOR LIFE




### - SLAB URINAL -**SPECIFICATIONS**

CONCEALED

#### **EXPOSED**





Product	Complete with	Dimensions				
Product			Width	Depth	Height	
Bespoke Fireclay	Return Ends, Back Slabs, Integral	(mm)	As this product is bespoke and	305	1065	
Slab Urinal	Channel & Domed Waste.	(in)	made to order, any width is available to purchase.	12	42	

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

#### Optional Extras

Product	Code			
Exposed Pipework Kit	White Auto Plastic Cistern, Downpipe & Clips, Spargepipe & Clips.			
Concealed Kit	Black Plastic Cistern, Back Inlet Spreader.			

To discuss an order please call our Customer Service Team on +44 (0) 1254 775 111.

- 18 -HANDCRAFTED FOR LIFE

## - SLAB URINAL -**BESPOKE WIDTH**

Durable, antibacterial fireclay urinal slabs.



### FEATURES

Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Bespoke widths to line one or multiple walls. Supplied with integral floor channels. White finish.

HANDCRAFTED FOR LIFE

## - DRAINERS -**SMALL & LARGE**

Durable fireclay drainers designed for heavy use.



### FEATURES


Acid and alkali resistant, antibacterial glazed surfaces. Designed to withstand heavy use. Self-contained draining areas. Two sizes. White finish.


### HANDCRAFTED FOR LIFE

### - DRAINERS -**SPECIFICATIONS**

#### SMALL







	Product	Code	Dimensions				
				Width	Depth	Height	
	Small Drainer	CD0200010	(mm)	460	460	50	
			(in)	18	18	2	
	Large Drainer	SO2900010	(mm)	610	460	50	
			(in)	24	18	2	

Please note: All nominal dimensions in mm. Dimensions may vary by +/- 2% due to manufacturing process

- 21 -

### - WASTES & TRAPS -FOR FIRECLAY SINKS


Vulcathene is a completely purpose-designed chemical resistant plumbing system that has been specified and installed in the laboratories of schools, universities, hospitals and research facilities worldwide for over 60 years. Vulcathene will withstand the test of time in the most demanding of laboratory applications.

## - LEGS & BRACKETS -FOR BELFAST & CLEANER

Tailored for use with our Belfast and Cleaner ranges. Designed to withstand heavy fireclay sinks. Specifically for floor-mounting. Supplied with fixtures and fittings. Stainless steel.

CLEANER






Product	Code		Dimensions
Vulcathene Waste (Slotted)	FT8000003	(mm)	38
vulcathene waste (Slotted)		(in)	11/2
Vulcathone Waste (Unclotted)	FT8000002	(mm)	38
Vulcathene Waste (Unslotted)		(in)	1½
Vulcathene Bottle Trap	FT8000001	(mm)	38
		(in)	1½
1½" Slotted Waste Fitting	FT2100013	(mm)	38
		(in)	1½

Product Code	Cada	Dimensions					
	Code		Bracket Length	Leg Length	Leg Diameter		
Cleaner	FT0100001	(mm)	355	352	22		
Legs & Brackets (x2)		(in)	14	12	1		
Belfast	FT0100000	(mm)	406	652	22		
Legs & Brackets (x2)	FT0100002 -	(in)	16	25	1		

PLEASE NOTE: Both products are compatible with all the sink sizes in their respective range and are supplied with fixtures and fittings.





# All Shaws fireclay products are handcrafted for life.

### BUILT FOR ENDURANCE









ODOUR RESISTANT

HEAT RESISTANT

CHEMICAL RESISTANT



### DESIGNED FOR REASSURANCE

IMPACT

RESISTANT



NATURAL

MATERIAL







RECYCLABLE





ANTIBACTERIAL



#### Handcrafted for life

SHAWS OF DARWEN. WATERSIDE, DARWEN, LANCASHIRE, ENGLAND, BB3 3NX. TELEPHONE. +44 (0)1254 775111. FAX +44 (0)1254 873462.

www.shawsofdarwen.com