


Geberit Mapress Copper reducer with plain end



Example image

Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water $\leq 120\text{ }^{\circ}\text{C}$
- For service water
- For compressed air (oil purity class 0–3)
- For negative pressure
- For inert gases (e.g. nitrogen)

- For technical building systems, industry and shipbuilding

Characteristics

- Pressing indicator
- Leaky if unpressed up to $\varnothing \leq 54\text{ mm}$
- Seal ring made of CIIR, black, up to $\varnothing \leq 54\text{ mm}$
- Seal ring made of EPDM, black, from $\varnothing > 54\text{ mm}$
- Pressing socket with transparent protection plug

Technical data

Material | Cu-DHP copper CW024A (EN 1412)

| Art. no. | DN | d, \varnothing | d1, \varnothing | L | H |
|----------|---------|------------------|-------------------|---------|---------|
| 62301 | 12 / 10 | 15 mm | 12 mm | 5 cm | 3.3 cm |
| 62302 | 15 / 10 | 18 mm | 12 mm | 5.4 cm | 3.7 cm |
| 62303 | 15 / 12 | 18 mm | 15 mm | 5.5 cm | 3.5 cm |
| 62305 | 20 / 12 | 22 mm | 15 mm | 5.9 cm | 3.9 cm |
| 62306 | 20 / 15 | 22 mm | 18 mm | 5.7 cm | 3.7 cm |
| 62307 | 25 / 12 | 28 mm | 15 mm | 6.6 cm | 4.6 cm |
| 62308 | 25 / 15 | 28 mm | 18 mm | 6.4 cm | 4.4 cm |
| 62309 | 25 / 20 | 28 mm | 22 mm | 6 cm | 3.9 cm |
| 62312 | 32 / 20 | 35 mm | 22 mm | 7.1 cm | 5 cm |
| 62313 | 32 / 25 | 35 mm | 28 mm | 6.8 cm | 4.5 cm |
| 62316 | 40 / 20 | 42 mm | 22 mm | 8.1 cm | 6 cm |
| 62317 | 40 / 25 | 42 mm | 28 mm | 7.9 cm | 5.6 cm |
| 62318 | 40 / 32 | 42 mm | 35 mm | 7.6 cm | 5 cm |
| 62322 | 50 / 25 | 54 mm | 28 mm | 9.7 cm | 7.4 cm |
| 62323 | 50 / 32 | 54 mm | 35 mm | 9.6 cm | 7 cm |
| 62324 | 50 / 40 | 54 mm | 42 mm | 9.2 cm | 6.1 cm |
| 62325 | 65 / 25 | 66.7 mm | 28 mm | 12 cm | 9.7 cm |
| 62326 | 65 / 32 | 66.7 mm | 35 mm | 12.1 cm | 9.5 cm |
| 62327 | 65 / 40 | 66.7 mm | 42 mm | 12.1 cm | 9.1 cm |
| 62328 | 65 / 50 | 66.7 mm | 54 mm | 12.7 cm | 9.2 cm |
| 62329 | 65 / 32 | 76.1 mm | 35 mm | 12.6 cm | 10 cm |
| 62330 | 65 / 40 | 76.1 mm | 42 mm | 12.6 cm | 9.6 cm |
| 62331 | 65 / 50 | 76.1 mm | 54 mm | 14.6 cm | 11.1 cm |
| 62332 | 65 / 65 | 76.1 mm | 66.7 mm | 15.1 cm | 10.1 cm |

| Art. no. | DN | d, ø | d1, ø | L | H |
|----------|----------|---------|---------|---------|---------|
| 62333 | 80 / 40 | 88.9 mm | 42 mm | 14 cm | 11 cm |
| 62334 | 80 / 50 | 88.9 mm | 54 mm | 16.3 cm | 12.8 cm |
| 62336 | 80 / 65 | 88.9 mm | 76.1 mm | 16.1 cm | 10.8 cm |
| 62337 | 100 / 40 | 108 mm | 42 mm | 17.3 cm | 14.3 cm |
| 62338 | 100 / 50 | 108 mm | 54 mm | 17.3 cm | 13.8 cm |
| 62339 | 100 / 65 | 108 mm | 66.7 mm | 18.9 cm | 13.9 cm |
| 62340 | 100 / 65 | 108 mm | 76.1 mm | 18.4 cm | 13.1 cm |
| 62341 | 100 / 80 | 108 mm | 88.9 mm | 20.3 cm | 14.3 cm |