


Geberit Mapress Copper reducer with plain end



Example image

Application purposes

- For cold and hot potable water
- For heating water
- For cooling water without antifreeze agent
- For cooling water with antifreeze agent
- For remote network heating water $\leq 120\text{ }^{\circ}\text{C}$
- For service water
- For compressed air (oil purity class 0–3)
- For negative pressure
- For inert gases (e.g. nitrogen)
- For technical building systems, industry and shipbuilding

- Application overview – Geberit Mapress Copper

Characteristics

- Pressing indicator
- Leaky if unpressed up to $\varnothing \leq 54\text{ mm}$
- Seal ring made of CIIR, black, up to $\varnothing \leq 54\text{ mm}$
- Seal ring made of EPDM, black, from $\varnothing > 54\text{ mm}$
- Pressing socket with transparent protection plug

Technical data

Product material | Cu-DHP copper CW024A (EN 1412)

Art. no.	DN	d, \varnothing	d1, \varnothing	L	H
62301	12 / 10	15 mm	12 mm	5 cm	3.3 cm
62302	15 / 10	18 mm	12 mm	5.4 cm	3.7 cm
62303	15 / 12	18 mm	15 mm	5.5 cm	3.5 cm
62305	20 / 12	22 mm	15 mm	5.9 cm	3.9 cm
62306	20 / 15	22 mm	18 mm	5.7 cm	3.7 cm
62307	25 / 12	28 mm	15 mm	6.6 cm	4.6 cm
62308	25 / 15	28 mm	18 mm	6.4 cm	4.4 cm
62309	25 / 20	28 mm	22 mm	6 cm	3.9 cm
62312	32 / 20	35 mm	22 mm	7.1 cm	5 cm
62313	32 / 25	35 mm	28 mm	6.8 cm	4.5 cm
62316	40 / 20	42 mm	22 mm	8.1 cm	6 cm
62317	40 / 25	42 mm	28 mm	7.9 cm	5.6 cm
62318	40 / 32	42 mm	35 mm	7.6 cm	5 cm
62322	50 / 25	54 mm	28 mm	9.7 cm	7.4 cm
62323	50 / 32	54 mm	35 mm	9.6 cm	7 cm
62324	50 / 40	54 mm	42 mm	9.2 cm	6.1 cm
62325	65 / 25	66.7 mm	28 mm	12 cm	9.7 cm
62326	65 / 32	66.7 mm	35 mm	12.1 cm	9.5 cm
62327	65 / 40	66.7 mm	42 mm	12.1 cm	9.1 cm
62328	65 / 50	66.7 mm	54 mm	12.7 cm	9.2 cm
62329	65 / 32	76.1 mm	35 mm	12.6 cm	10 cm
62330	65 / 40	76.1 mm	42 mm	12.6 cm	9.6 cm
62331	65 / 50	76.1 mm	54 mm	14.6 cm	11.1 cm
62332	65 / 65	76.1 mm	66.7 mm	15.1 cm	10.1 cm
62333	80 / 40	88.9 mm	42 mm	14 cm	11 cm
62334	80 / 50	88.9 mm	54 mm	16.3 cm	12.8 cm
62336	80 / 65	88.9 mm	76.1 mm	16.1 cm	10.8 cm

Art. no.	DN	d, ø	d1, ø	L	H
62337	100 / 40	108 mm	42 mm	17.3 cm	14.3 cm
62338	100 / 50	108 mm	54 mm	17.3 cm	13.8 cm
62339	100 / 65	108 mm	66.7 mm	18.9 cm	13.9 cm
62340	100 / 65	108 mm	76.1 mm	18.4 cm	13.1 cm
62341	100 / 80	108 mm	88.9 mm	20.3 cm	14.3 cm